



CARRY THE FUTURE.™



TABLE OF CONTENTS

PISTOLS	16	MILITARY PRODUCTS	66	FN 303® LAUNCHER AND FN 509® TRAINING/SIMUNITION	117
FN 509 LS EDGE™	19	FN® MK 16	69	FN 5.7x28MM AMMUNITION	118
FN 509® COMPACT TACTICAL	21	FN® MK 17 MODULARITY	70		
FN 509® TACTICAL	23	FN® MK 17	73	ACCESSORIES	120
FN 509®	25	FN® MK 13 EGLM/FN® FCU Mk3	75		
FN 509® MIDSIZE	27	FN® MK 20 SSR	77	PRODUCT SPECIFICATIONS	131
FN 509® MIDSIZE MRD	29	FN® M249 SAW/FN® M249 PARA	79		
FN 509® COMPACT MRD	31	FN® MK 46/FN® MK 48	81	FN CUSTOMER CONTACT	140
FNX™ SERIES	33	FN® M240 SERIES	82		
FNX™-45 TACTICAL	35	FN® M2HB-QCB	83		
FN Five-seveN®	37	FN® M3M (GAU-21)	85		
503®	39	FN® M3P	87		
		FN® PINTLE SYSTEMS	90		
RIFLES	40	FN® POD SYSTEMS	95		
FN SCAR® 20S	43	FN® D-PC DIGITAL POD CONTROLLER	96		
FN SCAR® 20S 6.5 CREEDMOOR	45	FN® D-HUD DIGITAL HEAD-UP DISPLAY	97		
FN SCAR® 16S/FN SCAR® 17S	47	FN® AIRBORNE DIGITAL SUITE	99		
FN 15® SERIES	49	deFNder® Medium/Sea deFNder®			
FN 15® STATE-COMPLIANT SERIES®	51	REMOTE WEAPONS STATIONS	100		
FN PS90®	53	deFNder® Light REMOTE			
FN BALLISTA®	55	WEAPONS STATIONS	102		
		FN® EXPERT	105		
		FN® SmartCore/FN® SAM	106		
		FN® FCU Mk3	107		
MILITARY COLLECTOR SERIES	56				
FN 15® M4/M16 MILITARY COLLECTOR	59	LAW ENFORCEMENT PRODUCTS	108		
		FN 15® UPPER ASSEMBLIES	110		
SHOTGUNS	60	FN 15® PATROL SBR/CARBINE	111		
FN SLP™ COMPETITION	62	FN P90® SERIES	113		
FN SLP™/FN SLP™ MK I	63	FN SCAR®-SC	114		
FN P-12™	64	FN SCAR® 16/FN SCAR® 17	115		
		FN40GL®	116		





WE ARE TESTED.

131 years of experience making small arms. And counting.

You'll always find FN firearms on the frontlines of the free world. From special forces to MPs, from base security to infantry, from airborne to seaborne, FN provides the large majority of battle-proven small arms carried by the U.S. military, because they know there's nothing tougher, more reliable, or more accurate.





WE ARE ESSENTIAL.

Tactical firearms with a history of dependability.

Our tactical firearms are the stuff of legend. Every innovation is born in the battlefield, built for the home front, and tested in life's most extreme environments. Our nation's protectors trust FN firearms because they know ultimate dependability, masterful ingenuity, and legendary performance are embedded in our DNA.





WE ARE CONFIDENT.

A nation protected. A right preserved.

Compact, reliable, and battlefield-ready, FN firearms are held to the highest standard because we know who depends on them. When you're carrying an FN pistol, you can be sure it has been crafted by the best, engineered to meet every demand, and built to perform whenever called upon.





WE ARE RELENTLESS.

Built to handle the battlefield. Available on the home front.

FN firearms are as tough, accurate, and reliable in your hands as they are in the hands of our nation's protectors. From compact pistols to shotguns to rifles, every FN firearm takes uncertainty out of the equation, so you can depend on them every minute of every day. Preparedness is our mission. Peace of mind is our objective.





WE ARE BRAVE.

Protecting those who protect you.

Nobody holds their firearms to a higher standard. Nobody has the heritage, knowledge, or experience that we have earned with 131 years of protecting the battlefield and the home front. Our lineage is pure, our performance is uncompromised, our dedication to innovation and improvement is unceasing. You can be sure every pistol, shotgun, and tactical rifle has been designed with nothing but perfection in mind.





WE ARE INNOVATORS.

We never cease in our pursuit of greatness.

As today's demands change - our mindset stays the same: being **the world's most battle-proven firearms®**.

Our engineers devote their lives to tactical technology and firearm innovation for those who devote their lives to our liberty. Whenever a new challenge is faced, FN will build a solution. That is our promise.





WE ARE PROTECTORS.

Handguns built with a purpose: protecting our legacy.

The vision set forth by John M. Browning continues to inspire our pistol line. From the iconic FN Five-seven[®], the FN 509[®] Tactical, and FN 509[®] striker-fired, polymer-framed pistols to the compact and powerful FN 509[®] Compact, no other manufacturer can match our history, heritage, knowledge, and experience. Depend on the battle-tested know-how of FN for peace of mind on the home front.







FN 509® LS EDGE™ FIND YOUR EDGE.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Optimized long slide with patented optics mounting system
Flat-face trigger breaks cleanly at 90°
Enhanced ergonomics and adaptability fit all shooters

Control

Long slide recovers immediately, tracks perfectly
Lightening cuts reduce weight and improve balance speeding follow-up shots
New, perimeter frame texture enhances grip, wet and dry
Two, interchangeable backstraps fit all hand sizes, mitigates felt recoil

Accuracy

5" target-crowned, hammer-forged barrel for tack-driving performance
Flat-face, facet-edge trigger breaks cleanly ≈ 4-5 lbs.
New, conical striker reduces 509 trigger pull weight by 1.5-lbs
Precision fiber optic front sight co-witnesses with MRD, blackout rear notch

Versatility

Best-in-class Low-Profile Optics Mounting System™ fits most common MRDs
Ambidextrous slide stop
Long-wearing graphite PVD finish
Compatible with 24-round FN 509 Magazine
Mil-Std 1913 rail fits all common weapon lights
Polished chamber and ramp for reliable feeding and extraction across ammunition types

Speed

Three, 17-rd magazines, graphite anodized aluminum floor plates drop faster
Flared, graphite anodized aluminum magwell speeds mag changes under stress
Oversized, knurled magazine release for instinctive operation
Trigger breaks at 90°, short take-up and positive reset speeds follow-up shots
6.7" sight radius with .040" fiber optic sight post finds targets and transitions faster



* Optic and light not included.



FN
EDGE SERIES™

FN 509® LS EDGE™

Caliber: 9mm

Magazine: 10 or 17 Rd.

- Barrel Length: 5"
- Weight: 31 oz.
- Sights: .040" Green fiber optic front sight post, rear blackout notch
- Slide Finish: Graphite PVD (Physical Vapor Deposition) type III anodizing
- Use: Carry, duty, competition

Accessories Include:

- Ballistic case
- Four MRD mounting plate
- Two frame backstraps
- Three 17 Rd. or 10 Rd. magazines

LEARN MORE >>>

FULL FN 509® LS EDGE™ SPECS: PAGE 132 – ACCESSORIES 122



FN 509® COMPACT TACTICAL Set Your Sights on the FN 509® Compact Tactical.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Striker-fired autoloader
5.5 to 7.5 lbs. trigger pull
FN Low Profile Optics Mounting System™
Threaded barrel
Suppressor-height night sights

Slide

FN Low Profile Optics Mounting System™
Sight protecting slide cap
External extractor; loaded chamber indicator

Barrel

Cold hammer-forged stainless steel
Recessed target crown
Polished chamber and feed ramp
1/2" x 28 threaded barrel
O-Ring retention thread cap

Frame

Enhanced grip texture which enables faster follow-up shots in all conditions
Interchangeable backstraps
MIL-STD-1913 accessory mounting rail

Operating Controls

Fully ambidextrous slide stop lever and magazine release

Magazine

High visibility, low-friction follower; polymer base with black finish
One 12rd, 15rd and one 24rd or three 10rd magazines

Compatible Optics

Burris Fastfire™ II
Burris Fastfire™ III
Doctor Optic
C-MORE STS2
Leupold DeltaPoint Pro
Trijicon RMR®
Vortex Razor®
Vortex Venom®
Vortex Viper®
And more



FN 509® COMPACT TACTICAL

Caliber: 9mm

Magazine: 10/12/15/24 Rd.

- Barrel Length: 4.32"
- Weight: 26.2 oz.
- Sights: Fixed 3-dot night
- Frame color: Matte black or Flat Dark Earth
- Use: Carry or duty

[LEARN MORE >>>](#)

FULL FN 509® COMPACT TACTICAL SPECS: PAGE 129 – ACCESSORIES 118



FN 509® TACTICAL Set Your Sights on the FN 509® Tactical.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Striker-fired autoloader
5.5 to 7.5 lb. trigger pull
FN Low-Profile Optics-Mounting System™
Threaded barrel
Suppressor-height night sights

Slide

Sight-protecting slide cap
External extractor; loaded chamber indicator

Barrel

Cold hammer-forged stainless steel
Recessed target crown
Polished chamber and feed ramp
Threaded 0.5"x28 TPI barrel
O-ring retention thread cap

Frame

Enhanced grip texture which enables faster follow-up shots in all conditions
Interchangeable backstraps
MIL-STD-1913 accessory mounting rail

Operating Controls

Fully ambidextrous slide stop lever and magazine release

Magazine

High-visibility, low-friction follower; polymer base with black finish
1-17 rd. and 2-24 rd. magazines included

FN Revolutionizes the Optics-Ready Pistol

Optics technology is rapidly improving, but existing mounting systems had not yet experienced a leap in design that met the pace that the optics market was keeping. Enter the FN Low-Profile Mounting System™, a result of FN's development for the MHS trials. This system was created with the desire to tackle the challenges of existing mount options and be a viable platform for future optic developments.

The FN 509® Tactical's slide and mount are specifically designed so that nearly all major optics brands available today will seamlessly mount and allow for co-witness with iron sights. The interchangeable plates, provided with the pistol, are equipped with an O-ring that provides positive tension to the plate and optic, ensuring the lowest, most secure mount possible. Finally, the fine-threaded screws lock tightly and remove any need for the thread locker.

The system was developed so that it could adapt to future optic releases or changes, and continue to provide customers the ability to swap optics based on their preference.

Compatible Optics

Burris Fastfire™ II
Burris Fastfire™ III
C-MORE STS2
Leupold DeltaPoint Pro
Trijicon RMR®
Vortex Razor®
Vortex Venom®
Vortex Viper®
And more



FN 509® TACTICAL

Caliber: 9mm
Magazine: 10/17/24 Rd.

- Barrel Length: 4.5"
- Sights: Fixed 3-dot night sights (standard)
- Frame color: Matte black or Flat Dark Earth
- Use: Carry or duty

[LEARN MORE >>>](#)



FULL FN 509® TACTICAL SPECS: PAGE 129 – ACCESSORIES 118



FN 509® 1 Million Rounds of Testing Is Here.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Striker-fired semi-automatic
Double-action operation
Manual safety model also offered
Fixed 3-dot luminescent sights (standard)
Fixed 3-dot night sights available (LE ONLY)

Slide

Easily racked, combat-style sights
External extractor; loaded chamber indicator
Improved front and rear cocking serrations

Barrel

Cold hammer-forged stainless steel
Recessed target crown
Polished chamber and feed ramp

Frame

Enhanced grip texture which enables
faster follow-up shots in all conditions
Interchangeable backstraps
MIL-STD-1913 accessory mounting rail

Operating Controls

Fully ambidextrous slide stop lever and
magazine release

Magazine

High-visibility, low-friction follower;
polymer base with black finish



FN 509®

Caliber: 9mm

Magazine: 10/17 Rd.

- Barrel Length: 4.0"
- Sights: Fixed 3-dot luminescent sights (standard)
- Use: Carry or duty

[LEARN MORE >>>](#)



FULL FN 509® SPECS: PAGE 129 – ACCESSORIES 118



FN 509® MIDSIZE Concealed Carry at Its Highest Caliber.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Striker-fired autoloader
Double-action operation
5.5 to 7.5 lb. trigger pull
Fully ambidextrous controls
World-class, military-grade barrels
15-round capacity gives duty pistol performance in a smaller package

Slide

Easily racked, combat-style sights
External extractor; loaded chamber indicator
Improved front and rear cocking serrations

Barrel

Cold hammer-forged stainless steel
Recessed target crown
Polished chamber and feed ramp



Frame

Enhanced grip texture which enables faster follow-up shots in all conditions
Interchangeable backstraps
MIL-STD-1913 accessory mounting rail

Operating Controls

Fully ambidextrous slide stop lever and magazine release

Magazine

High-visibility, low-friction follower; polymer base with black finish



FN 509® MIDSIZE

Caliber: 9mm

Magazine: 10/15 Rd.

- Barrel Length: 4.0"
- Sights: Fixed 3-dot luminescent sights (standard)
- Use: Carry or duty

[LEARN MORE >>>](#)

FULL FN 509® MIDSIZE SPECS: PAGE 129 – ACCESSORIES 118



FN 509® MIDSIZE MRD Your EDC Just Got Better With the All-New FN 509® Midsize MRD.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Full-sized performance in a concealed carry package

Striker-fired autoloader

Double-action operation

Fully ambidextrous controls

FN Low-Profile Optics Mounting System with plate adapters for direct mounting of more than 10 optics

All-black co-witness iron sights

Slide

Easily racked, combat-style sights

External extractor; loaded chamber indicator

Improved front and rear cocking serrations

Barrel

Cold hammer-forged stainless steel

Recessed target crown

Polished chamber and feed ramp

Frame

Polymer construction with replaceable steel frame/slide rails

Enhanced grip textures which enables faster follow-up shots in all conditions

Interchangeable backstraps

MIL-STD-1913 accessory mounting rail

Improved flatter face trigger

Operating Controls

Fully ambidextrous slide stop lever and magazine release

Magazine

High visibility, low-friction follower; polymer base with black finish

Compatible with FN 509 17-round and 24-round magazines with appropriate magazine sleeves



FN 509® MIDSIZE MRD

Caliber: 9mm

Magazine: 10 or 15 Rd.

• Barrel Length: 4.0"

• Use: Carry or duty

[LEARN MORE >>>](#)



FN 509® COMPACT MRD Full-Size Punch in a Compact Package.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Full-sized performance in a concealed carry package

Striker-fired autoloader

Double-action operation

Fully ambidextrous controls

FN Low-Profile Optics Mounting System with plate adapters for direct mounting of more than 10 optics

All-black co-witness iron sights

Slide

Easily racked, combat-style sights

External extractor; loaded chamber indicator

Improved front and rear cocking serrations

Barrel

Cold hammer-forged stainless steel

Recessed target crown

Polished chamber and feed ramp

Frame

Polymer construction with replaceable steel frame rails

Shortened grip for easier concealment

Enhanced grip textures which enables faster follow-up shots in all conditions

Interchangeable backstraps

MIL-STD-1913 accessory mounting rail

Improved flatter face trigger

Operating Controls

Fully ambidextrous slide stop lever and magazine release

Magazine

High visibility, low-friction follower; polymer base with black finish

Comes with one 12-round and one 15-round magazine or two 10-round magazines

Compatible with FN 509 17-round and 24-round magazines with appropriate magazine sleeves



FN 509® COMPACT MRD

Caliber: 9mm

Magazine: 10 or 12/15 Rd.

• Barrel Length: 3.7"

• Use: Carry or duty

LEARN MORE >>>



FNX™ SERIES Get the Latest in Pistol Performance.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Double-action/single-action operation

Ambidextrous controls

World-class, military-grade barrels

Slide

Stainless steel construction

External extractor, loaded chamber indicator

Front and rear cocking serrations

Matte black finish (Flat Dark Earth also available on FNX™-9 only)

Barrel

Cold hammer-forged stainless steel

Polished chamber and feed ramp

Frame

Polymer construction with replaceable steel frame/slide rails

Interchangeable backstraps with lanyard eyelets

Accessory mounting rail

Serrated trigger guard

Matte black finish (Flat Dark Earth also available on FNX™-45 only)

Operating Controls

Fully ambidextrous decocking/safety lever, slide stop lever, and magazine release

Magazine

Polished body; low-friction follower; polymer base



FNX™-9

Caliber: 9mm

Magazine: 10/17 Rd.

- Barrel Length: 4.0"
- Sights: Fixed 3-dot or fixed 3-dot night
- Use: Carry or duty



FNX™-45

Caliber: .45 ACP

Magazine: 10/15 Rd.

- Barrel Length: 4.5"
- Sights: Fixed 3-dot or fixed 3-dot night
- Use: Carry or duty

LEARN MORE >>>



FNX™-45 TACTICAL Battle-Born, Consumer-Ready.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Double-action/single-action operation
15 rounds of .45 ACP
Threaded barrel
MRD options

Slide

Stainless steel construction
External extractor; loaded chamber indicator
Front and rear cocking serrations
Slide cut and tapped for optional electronic red-dot sight (not included)
Raised night sights for suppressor use and easy target acquisition in all conditions

Barrel

Cold hammer-forged stainless steel
Polished chamber and feed ramp
Threaded 0.578x28 TPI with thread protector

Frame

Polymer construction with replaceable steel frame/slide rails
Four interchangeable backstraps with lanyard eyelets
Accessory mounting rail
Serrated trigger guard

Operating Controls

Fully ambidextrous decocking/safety lever, slide stop lever, and magazine release

Magazine

Polished body; low-friction follower; polymer base



FNX™-45 TACTICAL

Caliber: .45 ACP

Magazine: 10/15 Rd.

- Barrel Length: 5.3"
- Sights: Fixed 3-dot night
- Frame/Slide Color: Matte black or Flat Dark Earth
- Use: Duty

- Non-threaded FNX™ 45-Tactical
- 10 Rd. Magazines

LEARN MORE >>>

FULL FNX™-45 TACTICAL SPECS: PAGE 129 – ACCESSORIES 118



FN Five-seven® There's Only One Five-seven®

AS9100C/EN9100:2009 certified. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Single-action operation, delayed blowback
Adjustable rear combat sight
Up to 20-round capacity
Low recoil
High-performance projectiles

Slide

Steel slide
Polymer cover
Front and rear cocking serrations

Barrel

Cold hammer-forged
Chrome-lined chamber and bore

Frame

Polymer construction
Checkered grip
MIL-STD-1913 accessory mounting rail
Serrated trigger guard
Black or Flat Dark Earth finishes available

Operating Controls

Fully ambidextrous safety lever
Reversible magazine release

Magazine

Polymer body; low-friction follower;
polymer base



FN Five-seven®

Caliber: 5.7x28 mm
Magazine: 10/20 Rd.

- Barrel Length: 4.8"
- Sights: Adjustable 3-dot
- Use: Carry or duty

Warning

Use only specially coated, factory-loaded ammunition. Use of any non-factory coated and loaded ammunition can result in excessive pressures leading to possible personal injury and damage to the pistol.

LEARN MORE >>>



FN 503™ Your EDC Just Got Better With the All-New FN 503™.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

PISTOLS

Primary Features

Striker-fired autoloader
Crisp, easy to shoot metal trigger
5 to 7 lbs. trigger pull
Slim 9mm with 8+1 rd capacity

Slide

Low-profile iron sights to prevent snags
Utilizes same dovetail as FN 509 series of pistols
Loaded chamber indicator
Rear cocking serrations for easy manipulation of slide

Barrel

Recessed target crown
Polished chamber and feed ramp

Frame

Slim frame for easy concealment
Advanced texture for secure and comfortable grip

Operating Controls

Oversized controls for easy operation

Magazine

Ships with 6RD and 8RD extended magazine

The FN 503™

The FN 503, inspired by FN's legendary heritage, is the company's first entry into the slim 9mm pistol market. The FN 503, roughly the size of your hand, conceals quickly and discreetly without compromising on features or performance. The excellent trigger and soft recoil of this slim 9mm pistol make the FN 503 comfortable and controllable to shoot. Arguably the best in its class, the all-metal trigger breaks crisply and consistently with an average of 5lb. trigger pull. The snag-free sights ensure a quick draw from any holster or bag. And, the enlarged controls make operation effortless when switching between the 6-round standard magazine and 8-round extended magazine.



FN 503™

Caliber: 9mm

Magazine: 6/8 Rd.

- Operation: Striker Fire
- Slide/Frame Finish: Black
- Sights: Fixed 3-Dot
- Barrel Length: 3.1"
- Length: 5.9"
- Weight: 21 oz.
- Use: Carry or duty

[LEARN MORE >>>](#)

WE ARE UNCOMPROMISING.

Battlefield-born. Manufactured to perfection.

Our past allows us to create firearms unlike any other. The constant innovation, improvement, and testing of our firearms ensure that FN firearms will always be at the forefront of battlefield-ready, civilian-carried firearms. Whether you are choosing the next-generation FN SCAR® 20S, the FN 15® series, or the FN Ballista®, the legendary DNA of its predecessors will always remain intact. Every rifle made by FN is designed to be unerring and to deliver impeccable accuracy in any situation.







FN SCAR® 20S From the Battlefield to the Home Front. It's Here. Enough Said.

For U.S. sales only. For consumer, law enforcement, and military sales.

RIFLES

Primary Features

Extended monolithic receiver
Short-stroke gas piston

Receiver

Hard-anodized monolithic aluminum
MIL-STD-1913 accessory rails at
3, 6, 9, and 12 o'clock positions

Barrel

Cold hammer-forged, chrome-lined,
free-floating barrel with muzzle device

Trigger

Two-stage match trigger
(Geissele® "Super SCAR")

Stock

Precision adjustable for length of pull
and comb height
Adjustable cheekpiece
HOGUE® rubber grip with finger grooves

Operating Controls

Ambidextrous safety lever and
magazine release
Charging handle may be mounted
on right or left side
Composite polymer trigger module

Magazine

Steel magazine body
Low-friction follower



FN SCAR® 20S
Caliber: 7.62x51mm
Magazine: 10 Rd.

- Barrel Length: 20"
- Stock Color: Flat Dark Earth
- Overall Length: 42.5" (extended);
40.6" (collapsed)

LEARN MORE >>>

FULL FN SCAR® 20S SPECS: PAGE 129 – ACCESSORIES 118



FN SCAR® 20S 6.5 CREEDMOOR Perfectly Calibrated for Long-Range Precision Fire.

For U.S. sales only. For consumer, law enforcement, and military sales.

RIFLES

Primary Features

Extended monolithic receiver
Short-stroke gas piston

Receiver

Hard-anodized monolithic aluminum
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions

Barrel

Heavy cold hammer-forged, chrome-lined,
free-floating barrel with muzzle device

Trigger

Two-Stage Match trigger
(Geissele® "Super SCAR")

Stock

Precision adjustable for LOP and comb height
Adjustable cheekpiece
Hogue® rubber grip with finger grooves

Operating Controls

Ambidextrous safety lever and
magazine release
Charging handle may be mounted on
right or left side
Enlarged trigger guard for easier access
when wearing gloves
Composite polymer trigger module

Magazine

Steel magazine body
Low-friction follower



**FN SCAR® 20S
6.5 CREEDMOOR**
Caliber: 6.5 Creedmoor
Magazine: 10 Rd.

- Barrel Length: 20"
- Stock Color: Flat Dark Earth
- Overall Length: 41"-42.8"

[LEARN MORE >>>](#)

FULL FN SCAR® 20S 6.5 CREEDMOOR SPECS: PAGE 129 – ACCESSORIES 118



FN SCAR® 16S / FN SCAR® 17S Ready to Dominate.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer and law enforcement sales.

RIFLES

Primary Features

Monolithic receiver
Short-stroke gas piston

Receiver

Hard-anodized monolithic aluminum
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions
Adjustable folding front and folding/
removable rear iron sights

Barrel

Cold hammer-forged, chrome-lined,
free-floating barrel
Compensator

Stock

Telescoping, side-folding polymer stock
Adjustable cheekpiece
A2-style pistol grip

Operating Controls

Ambidextrous safety lever and
magazine release
Charging handle may be mounted
on right or left side
Enlarged trigger guard for easier
access when wearing gloves
Composite polymer trigger module

Magazine

Steel or aluminum body
Low-friction follower



[LEARN MORE >>>](#)

FN SCAR® 16S

Caliber: 5.56x45mm
Magazine: 10/30 Rd.

- Barrel Length: 16.25"
- Stock Color: Flat Dark Earth or matte black
- Overall Length: 37.5" (extended);
27.5" (collapsed)



[LEARN MORE >>>](#)

FN SCAR® 17S

Caliber: 7.62x51mm
Magazine: 10/20 Rd.

- Barrel Length: 16.25"
- Stock Color: Flat Dark Earth or matte black
- Overall Length: 38.5" (extended);
28.5" (collapsed)

FULL FN SCAR® 16S/FN SCAR® 17S SPECS: PAGE 129 – ACCESSORIES 118



FN 15® SERIES Military-Born, FN-Manufactured.

For U.S. sales only. For consumer and law enforcement sales.

RIFLES

FN 15® DMR II

FN Rail System with M-LOK® technology with alignment mechanism that provides extreme rigidity and less deflection to maintain zero

18" cold hammer-forged, chrome-lined, free-floating barrel with pinned gas block

3.5 lb. Timney® match trigger

Hard-anodized aluminum

SureFire® ProComp 556 muzzle device



FN 15® DMR II

Caliber: 5.56x45mm

Magazine: 30 Rd.

[LEARN MORE >>>](#)

- Barrel Length: 18"
- Overall Length: 38.0" (extended); 35.0" (collapsed)
- Weight: 7.03 lb. (empty)

FN 15® TACTICAL II

FN Rail System with M-LOK® technology with alignment mechanism that provides extreme rigidity and less deflection to maintain zero

16" cold hammer-forged, chrome-lined, free-floating barrel with pinned gas block

Hard-anodized aluminum

FN three-prong flash hider



FN 15® TACTICAL II

Caliber: 5.56x45mm

Magazine: 30 Rd.

[LEARN MORE >>>](#)

- Barrel Length: 16"
- Overall Length: 37.0" (extended); 33.7" (collapsed)
- Weight: 6.7 lb. (empty)

FN 15® TACTICAL .300 BLK II

FN Rail System with M-LOK® technology with alignment mechanism that provides extreme rigidity and less deflection to maintain zero

16" cold hammer-forged, chrome-lined, free-floating barrel with pinned gas block

Hard-anodized aluminum

SureFire® ProComp 762 muzzle device



FN 15® TACTICAL

.300 BLK II

Caliber: .300 BLK

7.62x35mm

Magazine: 30 Rd.

[LEARN MORE >>>](#)

- Barrel Length: 16"
- Overall Length: 37.25" (extended); 34.0" (collapsed)
- Weight: 6.91 lb. (empty)

FN 15® TACTICAL CARBINE FDE P-LOK

P-LOK handguard with M-LOK® technology

Flat-top receiver

MIL-STD-1913 rail at the 12 o'clock position

16" cold hammer-forged, chrome-lined barrel with mid-length gas block

Hard-anodized aluminum

FN three-prong flash hider



FN 15® TACTICAL

CARBINE FDE P-LOK

Caliber: 5.56x45mm NATO

Magazine: Magpul PMAG® 30 Rd.

[LEARN MORE >>>](#)

- Barrel Length: 16"
- Overall Length: 37.25" (extended); 34" (collapsed)
- Weight: 7.19 lb. (empty)

FULL FN 15® SERIES SPECS: PAGE 129 – ACCESSORIES 118

FN 15® SERIES Military-Born, FN-Manufactured.

For U.S. sales only. For consumer and law enforcement sales.

RIFLES

FN 15® PATROL CARBINE

Primary Feature

16" button broached chrome-lined barrel
Semi-automatic only

Receiver

Hard-anodized aluminum
Flat-top receiver, MIL-STD-1913 rail at the 12 o'clock position
Midwest Industries carbine quad rail
Front sling swivel

Barrel

A2-style compensator

Stock

Collapsible, 6-position with sling mount



FN 15® PATROL CARBINE

Caliber: 5.56x45mm
Magazine: Magpul 30 Rd.

- Weight: 6 lb. (without brace)
- Overall Length: 31.9"–35.2"
- Barrel Length: 16"

[LEARN MORE >>>](#)

FN 15® CARBINE

Primary Feature

Semi-automatic only
A2-style front sight, removable carrying handle with rear sight

Receiver

Hard-anodized aluminum
Flat-top receiver, MIL-STD-1913 rail at the 12 o'clock position

Barrel

Heavy barrel, button-broached, chrome-lined
A2-style compensator

Stock

Collapsible, 6-position with sling mount
Two-piece, single heat shield, oval hand guard



FN 15® CARBINE

Caliber: 5.56x45mm
Magazine: 10 or 30 Rd.

- Weight: 6.94 lb.
- Overall Length: 31.9"–35.2"
- Barrel Length: 16" (Heavy Barrel)

[LEARN MORE >>>](#)

FULL FN 15® SERIES SPECS: PAGE 129 – ACCESSORIES 118

FN 15® STATE-COMPLIANT SERIES Military-Born, FN-Manufactured.

For U.S. sales only. For consumer and law enforcement sales.

RIFLES



FN 15® TACTICAL II CA

Caliber: 5.56x45mm

- Operation: Direct Impingement
- California-Compliant
- Mag Capacity: 10 Rd.
- Weight: 7 lb.
- Barrel Length: 16"
- Overall Length: 36.75"

[LEARN MORE >>>](#)



FN 15® MD HEAVY BARREL RIFLE BLK 20

Caliber: 5.56x45mm NATO

Magazine: Magpul PMAG® 10 Rd.

- Operation: Direct Impingement
- Maryland-Compliant
- Weight: 8.73 lb. (empty)
- Overall Length: 38"
- Barrel Length: 20"

[LEARN MORE >>>](#)



FN 15® DMR II CA

Caliber: 5.56x45mm

- Operation: Direct Impingement
- California-Compliant
- Mag Capacity: 10 Rd.
- Weight: 7 lb.
- Barrel Length: 18"
- Overall Length: 38.75"

[LEARN MORE >>>](#)

FULL FN 15® STATE-COMPLIANT SPECS: PAGE 129 – ACCESSORIES 118



FN PS90® The Ultimate in Bullpup Performance.

AS9100C/EN9100:2009 certified. For U.S. sales only. For consumer, law enforcement, and military sales.

RIFLES

Primary Feature

Bullpup design

Receiver

Bottom ejection port with dust cover
Blowback-operated action
Alloy upper receiver and barrel support
MIL-STD-1913 accessory rail
Backup iron sights

Barrel

Cold hammer-forged, chrome-lined barrel
Ported flash suppressor

Stock

Synthetic thumbhole bullpup design
Forward handstop
Molded-in rear sling attachment point

Operating Controls

Ambidextrous charging handle
Sliding trigger
Ambidextrous safety switch inside trigger guard
Enlarged trigger guard
Ambidextrous magazine release

Magazine

Translucent polymer body



FN PS90®

Caliber: 5.7x28mm

Magazine: 10/30/50 Rd.

- Barrel Length: 16.1"
- Stock Color: Matte black
- Sights: Backup iron
- Overall Length: 26.23"

LEARN MORE >>>



FN BALLISTA® Precision Bolt-Action Rifle.

ISO 9001 quality. For U.S. sales only. For consumer, law enforcement, and military sales.

RIFLES

Primary Features

Change calibers in less than 2 minutes
Receiver is vibration-isolated from the aluminum chassis via elastomeric cushions

Receiver

High-strength aluminum alloy with top-mounted MIL-STD-1913 rail
Accepts magazines for multiple calibers without further modification

Barrel

Hammer-forged chrome moly steel
Complete with highly efficient, modular muzzle brake
.338 Lapua mag. and .308 Winchester barrels utilize right-hand, polygonal, constant-twist rate

Stock/Chassis

Ambidextrous, folding, and fully adjustable for length of pull, buttplate height, cheekpiece height, and cast-on/cast-off
Modular chassis system has multiple mounting points for optional M-1913 rails and folding monopod

Operating Controls

Ambidextrous magazine release forward of the trigger guard
Two-stage trigger system which releases between 3 and 5 lb.
Manual three-position safety locks the bolt closed
Backup grip safety for an extra level of control

Magazine

Advanced polymer construction
Stainless steel spring
Designed to protect projectile during recoil



Shown with optional accessories

FN BALLISTA®

Caliber: .338 Lapua Mag.
(converts to .300 Win. Mag. &
.308 Win.)
.338 Lapua Magazine: 5/8 Rd.

- Operation: Bolt-action
- Barrel Length: 26"
- Overall Length: 50.75" (extended); 49.5" (collapsed); 39" (folded)

[LEARN MORE >>>](#)

WE ARE RENOWNED.

Own history of the highest caliber.

Direct from the frontlines. Ready for your collection. The FN Military Collector Series includes the consumer versions of three legendary military firearms – the FN 15® M4 Military Collector, the FN 15® M16 Military Collector, and the FN M249S®, the semi-automatic versions of the M4A1, M16A4, and the FN® M249 SAW.







FN 15® M4/M16 MILITARY COLLECTOR Authentic.

For U.S. sales only. For consumer, law enforcement, and military sales.

MILITARY COLLECTOR SERIES

Primary Features

Semi-automatic only

Faithful copies of the true, current, government-issue rifles

Receiver

Hard-anodized aluminum

Flat-top receiver; MIL-STD-1913 rail at the 12 o'clock position

A2-style front sight; adjustable rear sight

UID label

Barrel

Button-broached, chrome-lined barrel

A2-style compensator
(permanently attached on M4 model)

1:7" right-hand twist

Side sling swivel attachment (M4 only)

Stock

Collapsible six-position with sling mount on the M4

Fixed A2-style buttstock on the M16

Knight's Armament RAS with rail panels

Forward pistol grip

Operating Controls

Ergonomic magazine release

Forward assist

Ambidextrous safety
selector switch

Magazine

Aluminum body

Low-friction follower

AR-style

30-round capacity



FN 15® M4 MILITARY COLLECTOR

Caliber: 5.56x45mm

Magazine: 30 Rd.

- Barrel Length: 16.1"
- Overall Length: 34.0" (extended); 30.75" (collapsed)
- Weight: 6.64 lb. (empty)

[LEARN MORE >>>](#)



FN 15® M16 MILITARY COLLECTOR

Caliber: 5.56x45mm

Magazine: 30 Rd.

- Barrel Length: 20"
- Overall Length: 39.7"
- Weight: 8.29 lb. (empty)

[LEARN MORE >>>](#)

FULL FN 15® M4/M16 MILITARY COLLECTOR SPECS: PAGE 129

WE ARE UNWAVERING.

FN shotguns are engineered to win in the world's harshest environments.

Start with the FN SLP,[™] a quick-cycling and super-reliable self-loader. Perfect for tactical use, it's a favorite in the competitive world as well. The FN SLP[™] can be customized in a myriad of ways, configured perfectly for how you need it to perform.





FN SLP™ COMPETITION Engineered to Win.

For U.S. sales only. For consumer and law enforcement sales.

Primary Features

Gas-operated autoloader
Flip-up rifle rear and red fiber-optic front sights

Receiver

Nickel-Teflon® coated bolt and bolt carrier
Blue hard-anodized aircraft-grade aluminum alloy receiver

Barrel

Back-bored; vent rib
Hard-chromed bore and 3" chamber
Invector-Plus™ interchangeable choke tubes

Stock

Matte black synthetic
Checked gripping panels on forearm and grip
Premium nonslip recoil pad
Two steel sling swivel studs

Operating Controls

Receiver-mounted bolt release
Crossbolt safety on rear of trigger guard

Magazine

Extended tube
Blue aluminum tube cover
Aluminum follower



FN SLP™ COMPETITION

Gauge: 12-gauge, 2¾" & 3" chamber
Ammo Capacity: 8+1 with 2¾" shells or 7+1 with 3" shells

- Operation: Gas-operated autoloader
- Bbl./Choke: 24" Invector-Plus™
- Sights: Flip-up rifle rear; red fiber-optic front
- Overall Length: 45"

LEARN MORE >>>

FULL FN SLP™ COMPETITION SPECS: PAGE 129 – ACCESSORIES 118

FN SLP™/FN SLP™ MK I Get the Ultimate in Autoloading Versatility.

For U.S. sales only. For consumer, law enforcement, and military sales.

PREMIER SHOTGUNS

Primary Feature

Gas-operated autoloader (FN SLP™ with interchangeable pistons)

Receiver

Aircraft-grade aluminum alloy receiver

Top-mounted, one-piece MIL-STD-1913 accessory rail (FN SLP™)

Barrel-mounted, Weaver-pattern cantilever rail (FN SLP™ MK I)

Barrel

Hard-chromed bore and 3" chamber

Standard Invector™ interchangeable choke tubes

Accessory barrels are available

Stock

Matte black synthetic

Checkered gripping panels on forearm and grip

Premium nonslip recoil pad

Two steel sling swivel studs

Operating Controls

Receiver-mounted bolt release

Curved operating handle

Crossbolt safety on rear of trigger guard

Magazine

Extended tube with aluminum cover



FN SLP™

Gauge: 12-gauge, 2¾" & 3" chamber

Ammo Capacity: 6+1 with 2¾" shells or 5+1 with 3" shells

- Operation: Gas-operated autoloader
- Bbl./Choke: 18" Standard Invector™
- Sights: High/adj. rear; wing-protected front
- Overall Length: 39"

[LEARN MORE >>>](#)



FN SLP™ MK I

Gauge: 12-gauge, 2¾" & 3" chamber

Ammo Capacity: 8+1 with 2¾" shells or 7+1 with 3" shells

- Operation: Gas-operated autoloader
- Bbl./Choke: 22" Standard Invector™
- Sights: Low/adj. rear; red fiber-optic front
- Overall Length: 43"

[LEARN MORE >>>](#)

FN P-12™ Rugged, Simple, and Unbeatable.

For U.S. sales only. For consumer and law enforcement sales.

Primary Feature

Rapid-cycling pump-action

Receiver

Aircraft-grade aluminum alloy receiver

Rotary locking bolt

Barrel-mounted, Weaver-pattern cantilever rail

Barrel

Chrome-lined bore and 3" chamber

Standard Invector™ improved cylinder
interchangeable choke tubes

Stock

Matte black synthetic

Aggressive checkered gripping panels
on buttstock and fore-end

Premium nonslip recoil pad

Two sling swivel studs

Operating Controls

Receiver-mounted action release

Crossbolt safety in front of trigger guard

Magazine

5+1 with 2¾" shells

4+1 with 3" shells



FN P-12™

Gauge: 12-gauge, 2¾" & 3" chamber

**Ammo Capacity: 5+1 with 2¾" shells or
4+1 with 3" shells**

- Operation: Pump-action
- Bbl./Choke: 18" Standard Invector™
- Sights: Flip-up iron rear;
red fiber-optic front
- Overall Length: 39"

LEARN MORE >>>

FULL FN P-12™ SPECS: PAGE 129



WE ARE UNDISPUTED.

Our military-contracted, fully automatic firearms adapt to every battlefield.

The FN belt-fed machine guns, select-fire rifles and carbines, and more, are the ultimate force multiplier: unrelenting, incredibly reliable, and battle-tested by the world's finest troops. Start with the legendary FN® M240 (also known as the FN MAG® or FN MAG®58), the medium machine gun choice of the U.S. military for more than 40 years, and the best friend an infantry squad will ever have. As our heritage has evolved, so too has our firepower. No matter the mission, no matter the environment, the modular and mission-adaptable FN® MK 16 and FN® MK 17 are the choice of individual warfighters worldwide. The FN® MK 16 (5.56x45mm) and the FN® MK 17 (7.62x51mm) are modular: designed to be instantly adaptable to local conditions and needs. These are the machine guns, rifles, and carbines whose reliability and toughness make them **the world's most battle-proven firearms®**.







FN® MK 16 Lightweight, Adaptable, Modular, and Accurate.

AS9100C/EN9100:2009 certified. Contract awarded by U.S. government. For military sales only.

MILITARY RIFLES AND CARBINES

Primary Features

Compact design; select fire
Short-stroke gas piston
Composite polymer trigger module

Receiver

Hard-anodized monolithic aluminum receiver
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions

Barrel

Cold hammer-forged, chrome-lined, free-floating barrel
Barrels can be changed at the operator level in
under 5 minutes with a point of impact shift of less
than 1 MOA from previously established zero
Highly effective flash hider/QD suppressor interface

Stock

Telescopic design; composite polymer construction
Side-folding feature provides a compact package
in aircraft and vehicle deployments; can still be
fired from the folded position

Operating Controls

Ambidextrous selector lever and magazine release
Enlarged trigger guard for easier access when
wearing gloves
Adjustable gas regulator for use with sound suppressor
to maintain constant rate of fire

Magazine

Steel body; low-friction, anti-tilt follower
Compatible with M16/M4 magazines



FN® MK 16 LB (LONG BARREL)

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 800m point target
- Barrel Length: 18"
- Overall Length: 39.0" (extended);
36.5" (collapsed); 29.0" (folded)

[LEARN MORE >>>](#)

FN® MK 16 (STANDARD)

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 600m point target
- Barrel Length: 14"
- Overall Length: 35.0" (extended);
32.5" (collapsed); 25.0" (folded)

[LEARN MORE >>>](#)

FN® MK 16 CQC (CLOSE QUARTERS COMBAT)

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 400m point target
- Barrel Length: 10"
- Overall Length: 31.0" (extended);
28.5" (collapsed); 21.0" (folded)

[LEARN MORE >>>](#)

FULL FN® MK 16 SPECS: PAGE 129

FN® MK 17 MODULARITY

7.62MM • 6.5MM CREEDMOOR • .260 REMINGTON • 5.56MM

BUTTSTOCK OPTIONS

TUBE ADAPTER SHOWN
WITH MAGPUL CTR®



FN SSR BUTTSTOCK



RAIL ADAPTER SHOWN
WITH SLING



TUBE ADAPTER SHOWN
WITH MAGPUL PRS®



PISTOL PLATE



M-LOK® RAIL ADAPTERS



MK 20 RECEIVER



MK 17 BUTTSTOCK



MK 17 RECEIVER



MK 17 TRIGGER MODULE

7.62MM • 6.5MM CREEDMOOR • .260 REM



5.56MM CONVERSION KIT



7.62MM



6.5MM CREEDMOOR



ADAPTABLE FOR ANY MISSION

MK 20 BARREL OPTIONS



CALIBER OPTIONS • 7.62MM, 6.5MM CREEDMOOR, AND .260 REM

MK 17 BARREL OPTIONS



CALIBER OPTIONS • 7.62MM, 6.5MM CREEDMOOR, AND .260 REM

MK 17 UNDER-BARREL OPTIONS



MK 15 EGLM
M26 MASS (not pictured)
M320 GRENADE LAUNCHER
(not pictured)

7.62MM
SUPPRESSORS



FN QD 701



FN QD 702

5.56MM BARREL OPTIONS



5.56MM
SUPPRESSORS



FN QD 502



.260 REM



5.56MM



FN® MK 17 Lightweight, Adaptable, Modular, and Accurate.

AS9100C/EN9100:2009 certified. Contract awarded by U.S. government. For military sales only.

MILITARY RIFLES AND CARBINES

Primary Features

Compact design; select fire
Short-stroke gas piston
Composite polymer trigger module

Receiver

Hard-anodized monolithic aluminum receiver
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions

Barrel

Cold hammer-forged, chrome-lined, free-floating barrel
Barrels can be changed at the operator level in
under 5 minutes with a point of impact shift of less
than 1 MOA from previously established zero
Highly effective flash hider/QD suppressor interface

Stock

Telescopic design; composite polymer construction
Side-folding feature provides a compact package
in aircraft and vehicle deployments; can still be fired
from the folded position

Operating Controls

Ambidextrous selector lever and magazine release
Enlarged trigger guard for easier access when
wearing gloves
Adjustable gas regulator for use with sound suppressor
to maintain constant rate of fire

Magazine

Steel body; low-friction, anti-tilt follower
Extended base pad for improved ergonomics



**FN® MK 17 LB
(LONG BARREL)**
Caliber: 7.62x51mm
Magazine: 20 Rd.

- Cyclic Rate of Fire: 600 RPM
- Effective Range: 900m point target
- Barrel Length: 20"
- Overall Length: 42.0" (extended);
39.5" (collapsed); 32.0" (folded)

[LEARN MORE >>>](#)



FN® MK 17 (STANDARD)
Caliber: 7.62x51mm
Magazine: 20 Rd.

- Cyclic Rate of Fire: 600 RPM
- Effective Range: 700m point target
- Barrel Length: 16"
- Overall Length: 38.0" (extended);
35.5" (collapsed); 28.0" (folded)

[LEARN MORE >>>](#)



**FN® MK 17 CQC (CLOSE
QUARTERS COMBAT)**
Caliber: 7.62x51mm
Magazine: 20 Rd.

- Cyclic Rate of Fire: 600 RPM
- Effective Range: 500m point target
- Barrel Length: 13"
- Overall Length: 35.0" (extended);
32.5" (collapsed); 25.0" (folded)

[LEARN MORE >>>](#)

FULL FN® MK 17 SPECS: PAGE 129



FN® MK 13 EGLM/FN® FCU Mk3 Enhanced Fire Support.

AS9100C/EN9100:2009 certified. MK 13 EGLM. For military and law enforcement sales only.

MILITARY RIFLES AND CARBINES

FN® MK 13 EGLM

The FN® Enhanced Grenade Launcher Module (FN® MK 13 EGLM) accepts all NATO standard 40mm low-velocity grenades. It may be quickly mounted underneath either the FN® MK 16 or FN® MK 17, or it may be configured as a stand-alone launcher with a telescoping buttstock. It is tested, operational, and currently deployed in harm's way with elite units of U.S. Armed Forces.

Single-shot; manual action

Composite polymer trigger module

Automatic ejector for rapid ejection of fired case

Optimized ergonomic trigger location when mounted using trigger adapters to either the FN® MK 16 or FN® MK 17

Dual locking clamp levers provide secure mounting to FN® MK 16 or FN® MK 17 rifles or to a stand-alone stock assembly

FN® MK 13 EGLM

- 40mm low-velocity
- Rotating locking breech system
- Double-action trigger capable of multiple strikes
- Leaf sight, mechanical quadrant sight, or Fire Control Unit (FN® FCU)
- Effective Range (low-velocity grenades): 100m point target; 300m area target
- Weight: 2.96 lb. for FN® MK 16 (empty); 3.0 lb. for FN® MK 17 (empty); 5.92 lb. stand-alone (empty)

[LEARN MORE >>>](#)

FN® FCU Mk3

Designed to enhance all 40mm LV and MV grenade launchers, the FN Fire Control Unit (FN® FCU) uses advanced electronics to simplify range finding and elevation corrections for the operator, even under severe combat conditions. The unit is an advanced sight design for use with any 40mm grenade launcher—stand-alone and under-barrel—and portable antitank weapon.

Flashing reticle indicator allows correction for left/right weapon cant

Remotely mounted pressure switch with ruggedized cord connection port

Housing shape allows use of rifle's optical and/or iron sights

Ballistic computer instantly calculates firing solutions and stores up to 50 different types; built-in clinometers sense initial up/down sighting angle; temperature sensor allows a correction in firing solution



FN® FCU Mk3

- Undetectable and eye-safe laser range finder effective: 1,000m effective range (1.5 x 1.5m target, 5km visibility, 28% target reflection)
- Only one battery (CR123)
- Quick release attachment compatible with MIL-STD-1913 rail
- IR laser pointer Class 1/3B
- IR laser safety feature with a dedicated switch or by using a high-visibility blue training cable

[LEARN MORE >>>](#)

FULL FN® MK 13 EGLM/FN® FCU MK3 SPECS: PAGE 129



FN® MK 20 SSR Secure Long-Range Precision.

AS9100C/EN9100:2009 certified. Contract awarded by U.S. government. For military sales only.

MILITARY RIFLES AND CARBINES

Primary Features

Semi-automatic
Rotating, locking bolt
Composite polymer trigger module
Capable of suppressed fire

Receiver

Hard-anodized monolithic aluminum receiver
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions

Barrel

Cold hammer-forged, chrome-lined barrel
Fully free-floating design
Can be removed/replaced by the operator
Flash hider optimized for suppressed fire

Stock

Non-folding and adjustable length of pull
without tools
Aluminum and polymer construction

Operating Controls

Ambidextrous selector lever and magazine release
Charging handle may be mounted on right or left side
Adjustable gas regulator for use with or
without suppressor

Magazine

Steel body; low-friction follower
Extended base pad



FN® MK 20 SSR

Caliber: 7.62x51mm

Magazine: 10/20 Rd.

- Operation: Short-stroke gas piston
- Effective Range: 1,000m point target
- Overall Length: 42.5" (extended);
40.5" (collapsed)

[LEARN MORE >>>](#)



FN® M249 SAW/FN® M249 PARA The Ultimate Force Multiplier.

AS9100C/EN9100:2009 certified. For law enforcement and military sales only.

MILITARY MACHINE GUNS

Primary Features

Open-bolt operation; belt-fed
Matte black non-reflective finish
Comes with an adjustable titanium bipod

Receiver

Formed steel frame with right-side ejection port
Holes for attaching on tripod and vehicle mounts
Top cover with integrated MIL-STD-1913 mounting rail for sighting systems

Barrel

Changeable
Cold hammer-forged steel
Hard chrome-plated bore and chamber

Stock

Highly ergonomic polymer buttstock assembly with hydraulic recoil buffer system and nonslip buttplate on FN® M249 SAW
Rotating, telescoping metal buttstock assembly with hydraulic recoil buffer system and nonslip buttplate on FN® M249 PARA
Kit consisting of polymer buttstock and 20.5" barrel to convert FN® M249 PARA to FN® M249 SAW configuration is available

Operating Controls

Cross-bolt safety
Curved trigger for improved finger position and control in rapid fire
Non-reciprocating charging handle
Ambidextrous feed cover latches
Removable trigger guard for use with Arctic gloves

Feed System

Belt feed from left side
Interface under the receiver for box or pouch holding 100- or 200-round belt
Feeds M16-type magazine without any modification to the weapon

FN® M249 SAW

Caliber: 5.56x45mm

- Cyclic Rate of Fire: 850 RPM
- Effective Range: 800m point target
- Maximum Range: 3,600m
- Barrel Length: 20.5"
- Overall Length: 40.75"

Also known as the FN MINIMI®

[LEARN MORE >>>](#)

FN® M249 PARA

Caliber: 5.56x45mm

- Cyclic Rate of Fire: 850 RPM
- Effective Range: 800m point target
- Maximum Range: 1,800m
- Barrel Length: 16.3"
- Overall Length: 36" (extended); 30.5" (collapsed)

Also known as the FN MINIMI®

[LEARN MORE >>>](#)

FULL FN® M249 SAW / FN® M249 PARA SPECS: PAGE 129 – ACCESSORIES 118



Primary Features

Open-bolt operation; belt-fed
Matte black non-reflective finish
Comes with an adjustable titanium bipod

Receiver

Formed steel frame with right-side ejection port
Holes for attaching on tripod and vehicle mounts
Top cover with integrated MIL-STD-1913 mounting rail for sighting systems

Barrel

Changeable
Cold hammer-forged steel
Hard chrome-plated bore and chamber

Stock

Highly ergonomic polymer buttstock assembly with hydraulic recoil buffer system and nonslip buttplate
Optional rotating, telescoping metal buttstock assembly with hydraulic recoil buffer system and nonslip buttplate

Operating Controls

Cross-bolt safety
Curved trigger for improved finger position and control in rapid fire
Non-reciprocating charging handle
Ambidextrous feed cover latches
Removable trigger guard for use with Arctic gloves

Feed System

Belt feed from left side
Interface under the receiver for box or pouch holding 100- or 200-round belt



FN® MK 46 MOD 1

Caliber: 5.56x45mm

- Cyclic Rate of Fire: 750 RPM
- Effective Range: 800m point target
- Maximum Range: 1,800m
- Barrel Length: 16.30"
- Overall Length: 36.22"

[LEARN MORE >>>](#)



FN® MK 46 MOD 2

- Barrel Length: 16.30"
- Overall Length: 34.11-37.11"



FN® MK 48 MOD 1

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 730 RPM
- Effective Range: 800m point target (tracer burnout)
- Maximum Range: 3,600m
- Barrel Length: 19.75"
- Overall Length: 39.75"

[LEARN MORE >>>](#)



FN® MK 48 MOD 2

- Barrel Length: 19.75"
- Overall Length: 37.42-40.41"

FN® M240 SERIES The Standard in Medium Machine Guns.

AS9100C/EN9100:2009 certified. For law enforcement and military sales only.

Primary Features

Open-bolt operation

Belt-fed with quick change barrel

Receiver

Gas-operated

Solid steel frame on all models except FN® M240L (titanium)

Fires from the open-bolt position to reduce heat buildup and potential for chambered round cook-off

Multiple integrated MIL-STD-1913 mounting rails for optics, lights, and laser devices

Holes for attaching on tripod and vehicle mounts

Top cover with integrated MIL-STD-1913 mounting rail for sighting systems

Barrel

Cold hammer-forged steel; air-cooled design

Stock

Highly ergonomic polymer buttstock assembly with hydraulic recoil buffer system and nonslip buttplate (FN® M240B/FN® M240L)

Ability to mount on a bipod, tripod vehicle, or aircraft (FN® M240C/FN® M240D/FN® M240H)

Optional Egress Kit for converting pintle-mount models to ground fire support configuration (FN® M240C/FN® M240D/FN® M240H)

Operating Controls

Cross-bolt safety

Offset charging handle for easy access and operation

Dual spade grips for enhanced control in burst and sustained fire (FN® M240D/FN® M240H)

Feed System

NATO standard belt-fed disintegrating link

FN® M240B

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 550 to 650 RPM
- Gas Regulator: Single-port
- Barrel Length: 21.7"
- Overall Length: 48.5"
- Other Specs: Extended charging handle

FN® M240L

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 550 to 650 RPM
- Gas Regulator: Single-port
- Barrel Length: 21.7"
- Overall Length: 48.5"
- Other Specs: Titanium receiver; composite trigger grip; titanium front sight; lightweight barrel (5.8 lb.)

FN® M240H

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 550 to 650 RPM
- Gas Regulator: Single-port
- Barrel Length: 21.7"
- Overall Length: 41.6"
- Other Specs: Optional forward MIL-STD-1913 rails; offset charging handle; open-pronged flash hider



[LEARN MORE >>>](#)

FN® M240/M240C

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 650 to 950 RPM
- Gas Regulator: 3-port
- Barrel Length: 21.7"
- Overall Length: 41.6"
- Other Specs: Right-hand feed system

FN® M240D

Caliber: 7.62x51mm

- Cyclic Rate of Fire: 650 to 950 RPM
- Gas Regulator: 3-port
- Barrel Length: 21.7"
- Overall Length: 41.6"
- Other Specs: Offset charging handle

FULL FN® M240 SERIES SPECS: PAGE 129

FN® M2HB-QCB Unbeatable Long-Range Firepower.

AS9100C/EN9100:2009 certified. For law enforcement and military sales only.

MILITARY MACHINE GUNS

Primary Features

Closed-bolt design; short-recoil barrel operation

Receiver

Projected service life in excess of 100,000 rounds

Barrel

Hammer-forged steel

18,000-round service life, high-temperature-resistant alloy barrel

10,000-round service life chrome barrel

Quick Change Barrel (QCB) feature allows the barrel to be quickly exchanged by one operator and eliminates the need to check and adjust headspace and timing at the user level

Compatible with any and all FN QCB barrels

Mount

Compatible with many armored vehicle and naval craft mounts

Adjustable M3 ground-mount tripod with traversing and elevation mechanism to provide accurate fire on pre-established targets

Operating Controls

Dual spade grips for enhanced control in burst and sustained fire

Right-hand cocking handle for easy operator access

Trigger safety system

Feed System

NATO standard .50-caliber belt-linked ammunition

Left- or right-hand belt feed design readily adapts to a variety of mounting positions and available space

Left- or right-hand-fired link ejection

Bottom-fired case ejection



FN® M2HB-QCB

**Caliber: .50
(12.7x99mm)**

- Cyclic Rate of Fire: 485 to 635 RPM
- Effective Range: 1,850m (area target)
- Maximum Range: 6,500m (grazing fire)
- Overall Length: 65.1"
- Weight: 84 lb. (empty)
- Other Specs: 26 to 42.77 lb. trigger sear maximum pull; 0.3" trigger travel to discharge

LEARN MORE >>>



FN® M3M (GAU-21) The Next Generation in .50-Caliber Machine Guns.

AS9100C/EN9100:2009 certified. Contract awarded by U.S. Navy. For military sales only.

MILITARY WEAPONS SYSTEMS

Primary Features

Open-bolt operation

1,025 +/- 75 RPM cyclic rate of fire

The GAU-21 Machine Gun is a recoil-operated

air cooled automatic weapon firing the

.50 Caliber ammunition from the open

bolt position

Operating elevation range +/- 70 degrees

Receiver

Solid steel frame for durability

Open-bolt firing system (no cook-off risk)

Barrel

Cold hammer-forged steel; 10,000-round life

Enhanced flash hider offers reduced firing signature to increase compatibility with current night vision equipment

Perforated barrel jacket for improved cooling and longer life

Mount

Provides optimal field of fire with aircraft's centerline for wider target coverage
dedicated, mission tailored mounts for air, land & sea platforms

Provides -70 degrees maximum depression angle for wider target coverage

Feed System

NATO standard belt-fed disintegrating link for added reliability

Flexible ammunition feed chute system reduces misfeeds

Accepts ammunition boxes from 100 to 600 rounds for greater mission versatility

Left- or right-side ammunition feeding without extra components



FN® M3M (GAU-21)

Caliber: .50
(12.7x99mm)

- Operation: Short recoil
- Effective Range: 2,500m
- Maximum Range: 6,500m
- Barrel Length: 36"
- Overall Length: 64.8"
- Height: 7.6"
- Weight: 81.6 lb. (empty)

[LEARN MORE >>>](#)

FULL FN® M3M (GAU-21) SPECS: PAGE 129



FN® M3P The Next Generation in .50 Caliber Machine Guns.

AS9100C/EN9100:2009 certified. For U.S. military sales only.

MILITARY WEAPONS SYSTEMS

Primary Features

1,025 +/- 75 RPM cyclic rate of fire

Short-recoil operated

Programmable burst limit via Armament Management System

Receiver

Solid steel frame for durability

Barrel

Cold hammer-forged steel; 10,000-round life

Enhanced flash hider offers reduced firing signature to increase compatibility with current night vision equipment

Perforated barrel jacket for improved cooling and longer life

Mount

Designed for aircraft use with FN pod systems, fixed-forward gun mounts, and in-wing applications

Dual buffer system for reduced recoil forces

Mounted on elastic cradle system for increased accuracy with reduced wear and vibration

Provides optimal field of fire with aircraft's centerline for wider target coverage



FN® M3P

Caliber: .50 (12.7x99mm)

- Effective Range: 2,500m
- Maximum Range: 6,500m
- Barrel Length: 36"
- Overall Length: 66.1" (short standard flash hider); 70.9" (long standard flash hider)
- Overall Height: 7"

- Weight: 80.5 lb. (empty, short standard flash hider); 82 lb. (empty, long standard flash hider)
- Other Info: Especially designed for airborne operations; solenoid firing; compatible with a wide range of "mission-tailored" ammunition; left- or right-side ammunition feeding without extra components

LEARN MORE >>>



FN® MAG® 58M / FN® MINIMI® / FN® M240 PINTLE WEAPON SYSTEM.

FN Makes the Mounts to Meet Your Mission. AS9100C/EN9100:2009 certified. For U.S. military sales only.

MILITARY WEAPONS SYSTEMS

A machine gun is only as effective as its mounting system. FN builds a full spectrum of pintles for each of our machine guns that provide a secure mounting interface for rotary-wing aircraft, naval craft, and ground vehicles. FN® pintle systems are used by the U.S. military and allied forces worldwide, providing warfighters with the significant firepower advantage they need in every operational engagement.

Description

This weapon system provides multi weapon support capability and consists of:

A light Pintle Head (FN® LPH MAG-MINIMI) soft mount which can be fitted with one of the following weapons:

- 7.62mm FN MAG® 58M/Infantry (GPMG) machine guns
- 7.62mm FN MINIMI®/FN® MK 48 machine guns
- 5.56mm FN MINIMI®/FN® M249 machine gun
- 7.62mm FN® M240 versions D, H & L machine guns

Key Benefits

Fully mechanical (no electrical power required)

Ability to change weapon configurations within minutes

Rate of fire dependent on weapon fitted

Ammunition box / ammunition pouch support (7.62mm or 5.56mm)

Open bolt firing system (no cook-off risk)

NATO G3 Cone interface (0.50" Interface optional)


MIL-STD-810 qualified with each weapon configuration

Optional items available:

Links and Cases collection (LCC) – 250 round or 500 round capacity

Adjustable elevation stops: -10° to -60° in 5° increments

Interface sleeve for U.S. 0.50" receiver with adjustable azimuth stops in 10° increments



FN® PINTLE SYSTEMS FN Makes the Mounts to Meet Your Mission.

AS9100C/EN9100:2009 certified. For U.S. military sales only.



FN® MBP
with FN® M2HB-QCB
mounted

FN® MBP (MEDIUM BOAT PINTLE)

For Sea Use Only.

Capacity: 100 Rd.

- Designed for use with the FN® M2HB-QCB machine gun
- FN® MPH (Medium Pintle Head) soft mount for land and sea platforms
- Telescopic column with adjustable azimuth firing stops
- Traverse Capability: 360 degrees
- Elevation/depression angles: +49 to -15 degrees
- Weight: 546 lb. with weapon; 100 rounds of ammunition; armor shield and shoulder brace
- Height adjustable column from 48.5" to 63.5"

LEARN MORE >>>



FN® MVP
with FN® M3M (GAU-21)
mounted

FN® MVP (MEDIUM VEHICLE PINTLE) FOR FN® M3M (GAU-21)

For Land and Sea Use Only.

Capacity: 300 Rd.

- MIL-STD-810 qualified
- Only officially qualified land and sea mount for the FN® M3M
- Designed for use with FN® M3M (GAU-21) machine gun
- Traverse Capability: 360 degrees
- Elevation/depression angles: +60 to -20 degrees
- Telescopic column with adjustable firing stops in azimuth (cf FN® MBP)
- Front armor shield available
- Weight: 275.6 lb. with weapon and 300 rounds of ammunition (column not included)

LEARN MORE >>>



FN® MDP TURNING

with FN® M3M (GAU-21) mounted

FN® MDP (MEDIUM DOOR PINTLE) TURNING


For Airborne Use Only.

**Capacity: 300-Rd. Quick Release Ammunition Box
with Flexible Feed Chute**

- Designed for use with FN® M3M (GAU-21) machine gun
- Two flexible chutes for ammunition feed and link collection
- Traverse Capability: 180 degrees, adjustable per mission configuration
- Depression Angle: 0 to -60 degrees, depending on carrier integration
- Elastic weapon cradle assembly with dual trigger
- Fired case deflector (cf FN® MRP)
- Weight: 517 lb. with weapon and 300 rounds of ammunition

LEARN MORE >>>





FN® MRP

with FN® M3M (GAU-21) mounted

FN® MRP (MEDIUM RAMP PINTLE)

For Airborne Use Only.

**Capacity: 300-Rd. Quick Release Ammunition Box
with Flexible Feed Chute**

- Designed for use with FN® M3M (GAU-21) machine gun
- Elastic weapon cradle assembly with dual trigger
- Fired case deflector
- Azimuth rotating yoke assembly with 172 degrees of traverse
- Flexible links chute with downward ejection
- Depression Angle: 0 to -70 degrees

LEARN MORE >>>



FN® POD SYSTEMS For Helicopters and Subsonic Fixed-Wing Aircraft.

AS9100C/EN9100:2009 certified. For U.S. military sales only.

MILITARY WEAPONS SYSTEMS

Primary Features

Accepts one FN® M3P machine gun

1,025 ± 75 RPM cyclic rate of fire per gun/pod

FN® PC 17 Pod Control Panel features ARM/SAFE functions, remote recocking, programmable burst limit and rounds count

Capable of emergency jettison from the aircraft

Firing solenoid as well as safety and cocking device

A. Safety and Cocking Device

This system incorporates safety mechanisms in the recocking device so that there are no chambered rounds until the system is armed to fire. The machine gun can be remotely recocked in flight.

B. Ammunition Box

The FN® HMP250 / FN® RMP (250-round capacity) or FN® HMP400 (400-round capacity) ammunition box is reversible and allows feeding from the left or right side without extra components. Its design guarantees smooth movement of the ammunition belt with no risk of jamming or fouling due to aircraft maneuvers or acceleration.

C. Boresighting Device


An elevation and azimuth adjustment device enables the gun to match the carrier aircraft's optical sighting line.

D. Soft Mount


The recoil forces that occur when the weapon is fired can be a source of structural fatigue on the carrier aircraft and can also reduce the precision of the gun. In FN® pod systems, the machine gun is fitted on a soft mount that absorbs the recoil forces.

E. Spent Link and Fired Case Collector

All of the cases and links are collected in the removable Link and Case Collector (LCC).



FN® PC 17 POD
CONTROL PANEL



FN® BT14-2 ARMAMENT
MANAGEMENT SYSTEM

FN® HMP250 POD

Capability: .75 Mach
Capacity: 250 Rd.

- Weight: 194 lb. (empty); 257 lb. (loaded)
- Height: 16.1" exterior pod
- Length: 71.3" exterior pod
- Other Info: Fired link and case collector on the FN® HMP250 LCC

[LEARN MORE >>>](#)

FN® HMP400 POD

Capability: .75 Mach
Capacity: 400 Rd.

- Weight: 197 lb. (empty); 305 lb. (loaded)
- Height: 17.1" exterior pod
- Length: 76.4" exterior pod
- Other Info: Fired link and case collector on the FN® HMP400 LCC

[LEARN MORE >>>](#)

FN® RMP POD

Capability: .70 Mach
Capacity: 250 Rd.

- Weight: 212 lb. (empty); 351 lb. (loaded with three rockets)
- Height: 17.1" exterior pod
- Length: 76.4" exterior pod
- Three 2.75"/70mm rocket launcher tubes
- Fired link collector
- Accepts all NATO standard 2.75"/70mm FFARs to include laser-guided rockets (LGR)

[LEARN MORE >>>](#)

FN® D-PC DIGITAL POD CONTROLLER The AMS for Digital Pods or Rocket Launchers.

AS9100C/EN9100:2009 certified. For U.S. military sales only.


Primary Features

- MIL-STD-1760 standard compliant, operates 2 stations (gun and/or rockets)
- Easy to operate
- Automatic pod type identification (including FN® D-INT)
- Allows selection of weapons and corresponding mode
- Misfiring detection
- Master armament switch included
- NVG compatibility
- High reliability
- ITAR-free
- Rocket zone selection

Technical Data

Overall Dimensions	
Length (including rear connector)	121mm (4.76")
Width	146mm (5.75")
Height	38mm (1.49")
Between fixation screws (width)	136.30mm (5.36")
Between fixation screws (height)	9.52mm (0.37")
Mass	
FN® D-PC	0.600 kg (1.32 lb)
Front Panel Dimensions	
Length	6mm (0.23")
Width	146mm (5.75")
Height	38mm (1.49")
Box Dimensions	
Length (without rear connector)	103mm (4.05")
Width	127mm (5")
Height	36.5mm (1.43")

*via FN® D-INT (Digital Intervalometer)



- A. Weapon Selection: OFF, GUN, Rockets
ripple launch, Rockets single launch

B. Left Station Switch

C. Left Station enable light

D. Optional Laser Pointer compatible with
Night Vision Goggles (NVG)
- E. Right Station enable light

F. Right Station Switch

G. Master Armament Switch (MAS)

H. Left Station Control Screen

I. Right Station Control Screen

FN® D-HUD DIGITAL HEAD-UP DISPLAY

The Sighting Solution for Fixed-Forward Weapon Systems on Rotary-Wing Aircraft. AS9100C/EN9100:2009 certified. For U.S. military sales only.

MILITARY WEAPONS SYSTEMS

The FN® D-HUD is a modern and cost-effective targeting solution. It offers the latest advances in optics technology and ballistic computation solution.

Easy Integration

- Capable of integrating into platform avionics with multiple electronic interfaces
- Electronic integration with Stores Management Systems (SMS)
- Open to further evolution
- Integration with Laser Range Finder (LRF)
- Compatible with most legacy targeting systems fixation patterns

Ergonomics

- Smallest size available in HUD sighting systems
- Allows pilot operation with Night Vision Goggles (NVG)
- Foldable position

High-End Technology

- High-end optical technology for targeting accuracy
- Display with software driven digital image source
- No moving or motorized parts in the design
- High reliability and availability
- Durable boresight retention

Enhanced Accuracy and Situational Awareness

- Dual axis ballistic compensation capability
- Ballistic compensation for multiple range of ammunition and rockets



Technical Data

Weight	
FN® HUD Projector	3.3 kg (7.28 lb)
FN® HUD Computer	5.5 kg (12.13 lb)
FN® HUD Control Panel	0.6 kg (1.3 lb)
Total weight	<9.5 kg (<20.9 lb)
Display color	Green, 525nm
Vertical FoV	+4° / -10°
Horizontal FoV	± 2.75°
Accuracy	<1mR
Parallax	<1mR
Contrast Ratio	1,2:1 against 10000ftL ambient
Automatic Brightness Control	
Power consumption	Max 100W at inrush
Power supply	24-32 VDC
Reliability	10,000h MTBF
Standards	
Electrical	MIL-STD-704
Environmental	MIL-STD-810F, RTCA-DO-160
EMI/EMC	MIL-STD-461E



FN® AIRBORNE DIGITAL SUITE

Providing the highest level of operational capability to modern and legacy platforms. AS9100C/EN9100:2009 certified. For U.S. military sales only.

MILITARY WEAPONS SYSTEMS

Key Benefits


Comprehensive, state-of-the-art digital suite for airborne applications

Includes:

self-contained fixed-forward pod system with digital communication (MIL-STD-1760)

digital FN® Armament Management System (FN® D-PC)

sighting solution (FN® D-HUD)



deFNder® Medium/Sea deFNder® REMOTE WEAPONS STATIONS **Maximized Force – Minimized Risk.**

AS9100C/EN9100:2009 certified. For U.S. military sales only.

Primary Features

Accepts all current FN® M249, FN® MK 48, FN® M240B, FN® M3R, and FN® M2HB-QCB machine guns; and future 40mm AGL integration

Sensors

Based on customer requirements

Color CCD camera for normal light conditions

Fully modular sensor system allows for easy integration of multiple day/night camera and targeting systems

Laser range finder/ballistic computer combination reduces distance-related aiming error

Mount

Lightweight for easy installation on vehicles and ground-mounted applications

Low silhouette reduces target size and minimizes visual intrusion in sensitive areas

Soft recoil mount increases hit probability, reducing collateral damage

Control

Operator display console for target identification/engagement

Single control handle for sight selection, aiming, and firing

Built-in test (BIT) system for diagnostics/failure detection

Available Options

Thermal/Infrared cooled or uncooled camera for low-light/low-visibility conditions

Laser range finder (LRF) and ballistic computer
STANAG 4569 Level I or Level II ballistic protection

Stabilized for firing on the move

Interface with slew-to-cue sensors such as
Laser Warning Receiver (LWR) and Small Arms
Detection and Localization System (SADLS)

Target tracking system

Backup firing mode

Up-capacity ammunition boxes of
500 rounds (.50 caliber linked) and
1,000 rounds (7.62x51mm linked)

Fired case and link collection


Weapon protective cover

Image stabilization

Smoke grenade launchers

Auto-detection





**deFnder® MEDIUM
WITH FN® M3R**


deFnder® MEDIUM

- General Specs: Accepts all current FN® M249 SAW, FN® MK 48 MOD I, FN® M240, FN® M2HB-QCB, and FN® M3R machine guns, and future 40mm AGL integration; modular design offers a wide range of custom options; 18 to 32 Volts Direct Current (VDC) power meeting MIL-STD-1275; qualification standards MIL-STD-810, MIL-STD-461, and MIL-STD-464
- Traverse Speed: 90 degrees per second
- Elevation Speed: 60 degrees per second
- Overall Height: Less than 25," basic configuration
- Overall Weight: Less than 437 lb. including M2 and 300 rounds (.50 caliber)
- Other Info: Nx360 degree traverse; vertical movement range of +70 degrees elevation through -40 degrees depression depending on weapon type; can fire at any elevation angle with an FN® M3R; basic configuration ammunition box capacity 300 rounds

LEARN MORE >>>

Sea deFnder®

- General Specs: Accepts all current FN® M249 SAW, FN® MK 48 MOD I, FN® M240, FN® M2HB-QCB, and FN® M3R machine guns, and future 40mm AGL integration; modular design offers a wide range of custom options; 18 to 32 Volts Direct Current (VDC) power meeting MIL-STD-1275; qualification standards MIL-STD-810, MIL-STD-461, and MIL-STD-464
- Traverse Speed: 90 degrees per second
- Elevation Speed: 60 degrees per second
- Overall Height: Less than 27," basic configuration
- Overall Weight: Less than 437 lb. including M2 and 300 rounds (.50 caliber)
- Other Info: Nx360 degree traverse; vertical movement range of +70 degrees elevation through -40 degrees depression depending on weapon type; can fire at any elevation angle with an FN® M3R; basic configuration ammunition box capacity 300 rounds



**Sea deFnder®
with FN® M2HB-QCB**



**deFnder® OPERATOR CONTROL UNIT
AND CONTROL HANDLE (ONE-HAND OR GAME PAD)**

deFNder® Light REMOTE WEAPONS STATIONS Maximized Force – Minimized Risk.

AS9100C/EN9100:2009 certified. For U.S. military sales only.

Primary Features

Accepts all current FN® M249, FN® MK 48, and FN® M240B infantry machine guns

Sensors

Based on customer requirements

Color CCD camera for normal light conditions

Fully modular sensor system allows for easy integration of multiple day/night camera and targeting systems

Laser range finder/ballistic computer combination reduces distance-related aiming error

Mount

Lightweight for easy installation on vehicles and ground-mounted applications

Low silhouette reduces target size and minimizes visual intrusion in sensitive areas

Soft recoil mount increases hit probability, reducing collateral damage

Machine gun can be quickly dismounted for infantry use

Control

Operator display console for target identification/engagement

Single control handle for sight selection, aiming, and firing

Built-in test (BIT) system for diagnostics/failure detection

Available Options

Thermal/Infrared cooled or uncooled camera for low-light/low-visibility conditions

Laser range finder (LRF) and ballistic computer

STANAG 4569 Level I ballistic protection

Stabilized for firing on the move

Interface with slew-to-cue sensors such as Laser Warning Receiver (LWR) and Small Arms Detection and Localization System (SADLS)

Target tracking system

Up-capacity ammunition boxes of 600 rounds (7.62x51mm linked) and 1,050 rounds (5.56x45mm linked)

Fired case and link collection


Weapon protective cover

Image stabilization

Auto-detection



deFNder® LIGHT
with FN® M240B



deFNder® LIGHT

- General Specs: Accepts all current FN® M249 SAW, FN® MK 48 MOD 1, and FN® M240B infantry machine guns; modular design offers a wide range of custom options; 18 to 32 Volts Direct Current (VDC) power meeting MIL-STD-1275; qualification standards MIL-STD-810, MIL-STD-461, and MIL-STD-464
- Traverse Speed: 90 degrees per second
- Elevation Speed: 60 degrees per second
- Overall Height: Less than 21"
- Overall Weight: Less than 190 lb. with FN® M240B and 250 rounds of ammunition
- Other Info: Nx360 degree traverse; vertical movement range of +80 degrees elevation through -60 degrees depression; up to 20 degrees vehicle mount deviation from the horizontal plane without influencing weapon performance; basic ammunition box capacity 250 rounds (7.62x51mm linked)

LEARN MORE >>>

deFNder® LIGHT
at maximum elevation angle
(+80 degrees)



deFNder® LIGHT
at maximum depression angle
(-60 degrees)



**deFNder® OPERATOR CONTROL UNIT
AND CONTROL HANDLE (ONE-HAND OR GAME PAD)**



FN® EXPERT Leading Edge.

For military, law enforcement, and consumer sales.

MARKSMANSHIP TRAINING

FN® EXPERT

FN® Expert provides the latest technology based on years of experience with military users and enables the execution of comprehensive rifle marksmanship training. It helps instructors train marksmanship safely and efficiently while also allowing shooters to become skilled within a short period of time.

FN® Expert System transfers the burden of marksmanship fault identification from the human instructor to the training system. It facilitates the correction of faults and enables marksmanship training everywhere and at any time.

Software Strengths

The result of a shot consists of three key factors: holding, aiming, and triggering. FN® Expert software shows the rifle movement during the aiming and triggering, the score, and the three key factors immediately after the shot in a simple, graphical, and numerical way. The feedback shows the shooters their weak points and helps them correct erroneous habits. This helps shooters at all skill levels quickly improve their shooting skills. The same safe training can be used to enhance the skills of highly experienced shooters.

Wireless communication (non-tethered)

Easier and improved target/range scenarios

Calculations and rendering on optical device

Improved user interface

FN® EXPERT

- Supports shooter grouping and zero
- Develops and sustains muscle memory
- Develops coaching skills in NCO/SNCO Corps
- Supports STX Lane Training
- Uses assigned firearm (not a toy/simulation)
- Supports firearm with all optics and accessories
- Portable, small-form factor
- Can be used with dry-fire, CO₂, and live-fire

LEARN MORE >>>



FN® SmartCore/FN® SAM Tech Forward.

AS9100C/EN9100:2009 certified. For military sales only.

In addition to conventional firearms, FN has developed FN® e-novation – highly added-value solutions that integrate modern and cutting-edge technology, such as optoelectronics, into small arms. These solutions improve combat capabilities and communications during missions, while also ensuring enhanced logistics and maintenance management.

FN® SmartCore

An electronic system that measures and records the number of shots (blank and live firing being discriminated) and effective and cyclic rates of fire (FN® M249 only)

Fully automated system with full transparency to the infantrymen

Fully integrated system, with no impact on the balance of the weapon

LEARN MORE >>>

Measures and records the number of shots, and takes into account rates of fire and firing cycles

Distinguishes between blank firing and live firing

Discriminates between shots and other shocks

Maintenance-free

Short-range, wireless communication that is undetectable and on request only, so there is no unintentional emission

FN® SmartCore for FN® M249 includes battery

FN® SmartCore for FN SCAR® Family is self-powered




**FN® SmartCore FOR
FN SCAR® FAMILY**

FN® SAM

The FN Small Arms Management software (FN® SAM) takes into account data recorded and transmitted by the FN® SmartCore to analyze and save data about weapons such as maintenance actions and use. It is fully automated software that reports any replacements or checks required on the major components of the weapon, and provides precise information at any time about a weapon, automatically or on request, in real time or with delay, including base location, whom it is issued to, and its operational condition. The FN® SAM solution is compatible with FN and non-FN weapons.

Using both FN® SmartCore and FN® SAM together allows for reduced operational costs through improved service life of the weapon, enhanced weapon maintenance and logistics management at armorer's level, and optimized weapons fleet management



FN® SAM SOFTWARE

FN® FCU Mk3 Enhanced Firepower.

AS9100C/EN9100:2009 certified. For military sales only.

FN® e-novation

FN® FCU Mk3

Designed to enhance all 40mm LV and MV grenade launchers, the FN Fire Control Unit (FN® FCU) uses advanced electronics to simplify range finding and elevation corrections for the operator, even under severe combat conditions. The unit is an advanced sight design for use with any 40mm grenade launcher—stand-alone and under-barrel—and portable antitank weapon.

Flashing reticle indicator allows correction for left/right weapon cant

Remotely mounted pressure switch with ruggedized cord connection port

Housing shape allows use of rifle's optical and/or iron sights

Ballistic computer instantly calculates firing solutions and stores up to 50 different types; built-in clinometers sense initial up/down sighting angle; temperature sensor allows a correction in firing solution

FN has over 15 years of experience in the design and manufacture of Fire Control Units

Mk3 has been improved through changes based on electronic modules of the latest generation that combine better performance with reduced size and feedback from user experience with the earlier models

Mk3 includes significant modifications to all its modules: laser range finder, ballistic computer, and electronic sight

FN® FCU Mk3

- Undetectable and eye-safe laser range finder effective: 1,000m effective range (1.5 x 1.5m target, 5km visibility, 28% target reflection)
- Only one battery (CR123)
- Quick release attachment compatible with MIL-STD-1913 rail
- IR laser pointer Class 1/3B
- IR laser safety feature with a dedicated switch or by using a high-visibility blue training cable

LEARN MORE >>>



WE ARE UNDEFEATED.

No matter what is demanded of our tactical firearms, FN will always deliver.

When the moment demands it, FN's suite of tactical firearms provides what every professional requires. Designed for the close-in, to-the-perimeter defense, the FN SCAR® offers the perfect variants that can be customized to the challenge. Want overwhelming close-quarters firepower? Reach for the radically advanced FN P90®. It's compact, spits out the innovative FN 5.7x28mm round, and exists to win every encounter. Consider too the 40mm Low-Velocity FN40GL®. Employ it stand-alone, or integrate it with the FN SCAR® systems. Add the 5.56x45mm FN 15® Series to your armory. The new family of FN 15® carbines, specifically developed with law enforcement officers' needs in mind, offer compact builds and shorter barrel lengths that enable faster target engagement and maneuverability in close-quarters scenarios. Choose FN, because there are no compromises to be made in a tactical theater.





FN 15® UPPER ASSEMBLIES Engineered for Critical Missions.

AS9100C/EN9100:2009 certified. For consumer and law enforcement sales.

FN 15® 10.5" SBR Upper Assembly, A2 Front Sight

10.5" barrel, chamber 5.56x45mm, right-hand 1:7 twist, carbine gas system, alloy-steel button-rifling with phosphate finish

A2 front sight post, riveted front sling swivel, with delta ring and handguard cap

Two-piece single heatshield, oval handguard

M16/Auto bolt carrier, hard chrome-lined, magnetic-particle inspected with gas key-staked A2 compensator

FN 15® 11.5" SBR Upper Assembly, A2 Front Sight

11.5" barrel, chamber 5.56x45mm, right-hand 1:7 twist, carbine gas system, alloy-steel button-rifling with phosphate finish

A2 front sight post, riveted front sling swivel, with delta ring and handguard cap

Two-piece single heatshield, oval handguard

M16/Auto bolt carrier, hard chrome-lined, magnetic-particle inspected with gas key-staked A2 compensator

FN 15® 11.5" SBR Tactical Upper Assembly, Flat-Top

11.5" barrel, chamber 5.56x45mm, right-hand 1:7 twist, carbine gas system, alloy-steel button-rifling with phosphate finish

Low-profile gas block

Midwest Industries rail system with M-LOK® technology

M16/Auto bolt carrier, hard chrome-lined, magnetic-particle inspected with gas key-staked A2 compensator

FN 15® 14.5" SBR Tactical Upper Assembly, Flat-Top

14.5" barrel, chamber 5.56x45mm, right-hand 1:7 twist, carbine gas system, alloy-steel button-rifling with phosphate finish

Low-profile gas block

Midwest Industries rail system with M-LOK® technology

M16/Auto bolt carrier, hard chrome-lined, magnetic-particle inspected with gas key-staked A2 compensator


FN 15® 14.5" SBR Upper Assembly, A2 Front Sight

14.5" barrel, chamber 5.56x45mm, right-hand 1:7 twist, carbine gas system, alloy-steel button-rifling with phosphate finish

A2 front sight post, riveted front sling swivel, with delta ring and handguard cap

Two-piece single heatshield, oval handguard

M16/Auto bolt carrier, hard chrome-lined, magnetic-particle inspected with gas key-staked A2 compensator



FULL FN® 15 UPPER ASSEMBLIES SPECS: PAGE 129 – ACCESSORIES 118

FN 15® PATROL SBR/CARBINE Engineered for Critical Missions.

For consumer and law enforcement sales.

LAW ENFORCEMENT CARBINES

FN 15® Patrol SBR 10.5"

10.5" button-broached,
chrome-lined barrel

Carbine-length gas system

Round handguard with heatshield

A2-style front sight (F height)

Removable carry handle with
integrated sight



FN 15® PATROL SBR 10.5"

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Barrel Length: 10.5"
(14.5" barrel option also available)
- Overall Length: 30.0"
(extended); 26.5" (collapsed)
- Weight: 5.92 lb. (empty)

[LEARN MORE >>>](#)

FN 15® Patrol SBR 14.5"

14.5" alloy-steel, button-broached,
chrome-lined barrel

Mid-length gas system

Lightweight M-LOK® 12" rail



FN 15® PATROL SBR 14.5"

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Barrel Length: 14.5"
- Overall Length: 34"
(extended); 30.75" (collapsed)
- Weight: 6.0 lb. (empty)

[LEARN MORE >>>](#)

FN 15® Patrol Carbine

Alloy-steel, button-broached,
chrome-lined barrel

Midwest Industries drop-in 7" quad
rail/forearm



FN 15® PATROL CARBINE

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Barrel Length: 16"
- Overall Length: 35.2"
(extended); 31.9" (collapsed)
- Weight: 6.0 lb. (empty)

[LEARN MORE >>>](#)

FULL FN 15 PATROL SBR / CARBINE SPECS: PAGE 129 – ACCESSORIES 118



FN P90® SERIES Next Generation in Firepower.

AS9100C/EN9100:2009 certified. For law enforcement and military sales only.

LAW ENFORCEMENT CARBINES

Primary Features

Closed-bolt blowback operation
Compact bullpup design
Select fire

Receiver

Bottom ejection port with dust cover

Barrel

Cold hammer-forged, chrome-lined barrel
Integrated flash suppressor with interface for sound suppressor
Matte black phosphate finish

Stock

Matte black synthetic thumbhole design with forward handstop
Front-mounted laser targeting module on LV, TR LV, and USG IR models
Molded-in rear sling attachment point

Operating Controls

Ambidextrous cocking knobs and magazine release latches
Sliding trigger
Ambidextrous safety/selector switch inside trigger guard

Magazine

Top-mounted detachable
Translucent polymer body
Unique and innovative design allows for compact system when loaded

FN P90® TACTICAL

Caliber: 5.7x28mm
Magazine: 30/50 Rd.

- Barrel Length: 10.39"
- Sights: MIL-STD-1913 accessory rail; peep sight
- Overall Length: 19.88"

FN P90® LV

Caliber: 5.7x28mm
Magazine: 30/50 Rd.

- Barrel Length: 10.39"
- Sights: Non-magnifying optical; front-mounted visible laser; peep sight
- Overall Length: 19.88"

FN P90® USG

Caliber: 5.7x28mm
Magazine: 30/50 Rd.

- Barrel Length: 10.39"
- Sights: Non-magnifying optical; 2 MIL-STD-1913 accessory rails; peep sight
- Overall Length: 19.88"

[LEARN MORE >>>](#)



FN SCAR®-SC Built for Ultimate Mobility and Flexibility.

For law enforcement and military sales only.

Primary Features

Subcompact model derived from the FN SCAR® rifle designed for the U.S. special forces, specifically adapted for security missions

Rotating, locking bolt

Selective fire, 550 to 650 rounds per minute (RPM) cyclic rate of fire

Non-reciprocating charging handle

Composite polymer trigger module

Receiver

Hard-anodized monolithic aluminum

MIL-STD-1913 accessory rails at 3, 6, 9, and 12 o'clock positions

Barrel

7.5-inch cold hammer-forged, chrome-lined, free-floating barrel with compensator

FN SCAR-SC flash hider

Stock

Telescopic buttstock

Polymer pistol grip

Operating Controls

Ambidextrous safety lever and magazine release

Charging handle may be mounted on right or left side

Enlarged trigger guard for easier access when wearing gloves

Adjustable gas regulator for use with sound suppressor to maintain constant rate of fire

Magazine

Steel magazine body

Low-friction follower



FN SCAR®-SC

Caliber: 5.56x45mm NATO

- Operation: Short-stroke gas piston
- Mag Capacity: 30 Rd.
- Weight: 6.9 lb.
- Barrel Length: 7.5"
- Overall Length: 25.7" (extended); 21.1" (collapsed)

LEARN MORE >>>

FULL FN SCAR®-SC SPECS: PAGE 129

FN SCAR® 16/FN SCAR® 17 Modular, Accurate, and Adaptable.

AS9100C/EN9100:2009 certified. For law enforcement sales only.

LAW ENFORCEMENT

Primary Features

Rotating, locking bolt; select fire
Composite polymer trigger module
Short-stroke gas piston

Receiver

Hard-anodized monolithic aluminum receiver
MIL-STD-1913 accessory rails at 3, 6, 9,
and 12 o'clock positions
Adjustable folding front and folding/
removable rear backup iron sights

Barrel

Cold hammer-forged, chrome-lined,
free-floating barrel
Standard or Close Quarters Combat
(CQC) options

Stock

Adjustable for six-position length of pull
Adjustable for two-position cheekpiece height
Side-folding for aircraft and vehicle
deployments; can still be fired from
the folded position

Operating Controls

Ambidextrous selector lever and
magazine release
Charging handle may be mounted
on right or left side
M203-type unlocking catch
Adjustable gas regulator for use
with sound suppressor to
maintain constant rate of fire

Magazine

Steel body; low-friction follower
Extended base pad for improved
ergonomics (FN SCAR® 17)

FN SCAR® 16 STANDARD

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 600m point target
- Barrel Length: 14.0"
- Overall Length: 35.0" (extended);
32.5" (collapsed); 25.0" (folded)
- Black or Flat Dark Earth

[LEARN MORE >>>](#)

FN SCAR® 17 STANDARD

Caliber: 7.62x51mm
Magazine: 20 Rd.

- Cyclic Rate of Fire: 600 RPM
- Effective Range: 700m point target
- Barrel Length: 16.0"
- Overall Length: 38.0" (extended);
35.5" (collapsed); 28.0" (folded)
- Black or Flat Dark Earth

[LEARN MORE >>>](#)



FN SCAR® 16 CQC

Caliber: 5.56x45mm
Magazine: 30 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 400m point target
- Barrel Length: 10.0"
- Overall Length: 31.0" (extended);
28.5" (collapsed); 21.0" (folded)
- Black or Flat Dark Earth

[LEARN MORE >>>](#)

FN SCAR® 17 CQC

Caliber: 7.62x51mm
Magazine: 20 Rd.

- Cyclic Rate of Fire: 625 RPM
- Effective Range: 500m point target
- Barrel Length: 13.0"
- Overall Length: 35.0" (extended);
32.5" (collapsed); 25.0" (folded)
- Black or Flat Dark Earth

[LEARN MORE >>>](#)

FN40GL® Powerful and Ready for Any Mission.

AS9100C/EN9100:2009 certified. For law enforcement sales only.

Primary Features

Single-shot; manual action
Rotating, locking breech system
Composite polymer trigger module

Receiver

Automatic ejector for rapid ejection of fired case
Molded stippling for enhanced grip

Barrel

Barrel swivels both right and left for ease of loading from any firing position and allows use of extended-length ammunition

Stock

MIL-STD-1913 accessory rails at 3, 6, 9, and 12 o'clock positions
Telescoping design of stand-alone stock adapts to fit a variety of operator body sizes, body armor, and load-bearing equipment

Operating Controls

Fully ambidextrous
Crossbolt safety for fast and easy operator access
Enlarged trigger guard for easier access when wearing gloves

Double-action trigger offers multiple-strike capability to eliminate requirement to open and recock action; allows firing of ammunition with less sensitive or aged primers

Mounting

Optimized ergonomic trigger location when mounted using trigger adapters to either the FN SCAR® 16 or FN SCAR® 17
Dual locking clamp levers provide secure mounting to FN SCAR® 16 or FN SCAR® 17 rifles or to a stand-alone stock assembly
Adds no length when mounted on FN SCAR® 16 or FN SCAR® 17



FN40GL®
Caliber: 40mm
Low-Velocity

- Effective Range: 100m point target (low-velocity grenades); 300m area target (low-velocity grenades); 625m area target future capability (medium-velocity grenades)
- Barrel Length: 9.6"
- Trigger: Double-action trigger capable of multiple strikes
- Sights: Leaf sight, mechanical quadrant sight, or fire control unit (FN® FCU™)
- Overall Length: 26.5" (extended); 20.5" (collapsed)
- Stock Color: Black or Flat Dark Earth

LEARN MORE >>>

FULL FN 40GL® SPECS: PAGE 129

FN 303® LAUNCHER AND FN 509® TRAINING/SIMUNITION Measured Responses.

For law enforcement and military sales only.

LAW ENFORCEMENT ONLY

Primary Features

- Effective range from 1 up to 50 meters
- 15-round capacity
- Shoulder-fired
- Extremely accurate
- Highly reliable and safe
- Safe to use at very close range
- No recoil, no noise, no flash, no heat, no propellant
- Able to rapidly re-engage targets

Warning: Use with Extreme Caution

Not intended for recreational use. Misuse may result in injury or death. Avoid aiming at the face or head. Read operator's manual before use. Certified instruction is required before use. All operators of the FN 303® must be certified by the FN America Training Team prior to deploying the system. Call FN at 703.288.3500 for more information.



FN 303®

Magazine: 15 Rd.

Projectiles: .68 Caliber

- Lower Frame: Black polymer
- Upper Frame: Black aluminum
- Sights: Flip-up iron

[LEARN MORE >>>](#)

PROJECTILES




CLEAR

Caliber: .68

Product #: 48048554

- Payload ID Color: Clear
- Weight: 8.5 grams
- Package Qty: 150




WASHABLE

Caliber: .68

Product #: 48048555

- Payload ID Color: Pink
- Weight: 8.5 grams
- Package Qty: 150




INDELIBLE

Caliber: .68

Product #: 48048552

- Payload ID Color: Yellow
- Weight: 8.5 grams
- Package Qty: 150




PAVA POWDER

Caliber: .68

Product #: 48048600

- Payload ID Color: Orange
- Weight: 8.5 grams
- Package Qty: 150



INERT POWDER

Caliber: .68

Product #: 48048610

- Payload ID Color: White
- Weight: 8.5 grams
- Package Qty: 150

[LEARN MORE >>>](#)



FN 509® TRAINING PISTOL

[LEARN MORE >>>](#)



FN 509® SIMUNITION PISTOL

[LEARN MORE >>>](#)

FULL FN 303® LAUNCHER SPECS: PAGE 129 – ACCESSORIES 118

TO LEARN MORE ABOUT THESE PISTOLS, PLEASE VISIT WWW.FNAMERICA.COM/LAW-ENFORCEMENT.

FN 5.7x28mm AMMUNITION

The New Benchmark in Ammo Performance

ISO 9001 Quality

Fully compatible with a wide variety of FN firearms, including the FN Five-seven® pistols, FN PS90® carbines and FN P90® submachine guns, the 5.7x28mm cartridge has been specially tailored to excel in several specialized roles. The SS195 LF and SS198 LF rounds use an innovative, lightweight, brass-jacketed, aluminum core hollow point bullet. The SS197SR, distributed in the U.S. by Federal Cartridge Company, is ideally suited for sports and training applications.

FN also offers 5.7x28mm restricted ammunition (duty, tracer, subsonic) for law enforcement and military sales only. The SS190 duty round has been designed to minimize the risk of over-penetration. The L191 tracer and SB193 subsonic rounds, as well as blank rounds for training and simulations are also available from FN. All restricted ammunition is only released and shipped from a U.S. Customs-Controlled Bonded Warehouse (CBW) upon BATFE and U.S. Customs approval.

[LEARN MORE >>>](#)

CROSS-SECTION OF THE UNRESTRICTED LEAD-FREE 5.7x28mm CARTRIDGES



SS195LF

Prod #: 10700012

Type: 27 gr. Lead-Free Hollow Point

Intended Purpose:
Consumer/Target/Sporting

Case Qty: 2,000

U.S. Distribution: FN America

Availability: Unrestricted

SS198LF

Prod #: 10700021

Type: 27 gr. Lead-Free Training

Intended Purpose:
Law Enforcement/Military

Case Qty: 2,000

U.S. Distribution: FN America

Availability: LE Restricted

The hollow point jackets contain a lead-free metal core. The primer compound is also lead-free, making either round ideal for any location where lead contamination is to be avoided.



SS197SR

Prod #: 10700016

Type: 40 gr. Polymer-Tipped Sporting

Intended Purpose:
Consumer/Target/Sporting

Case Qty: 2,000

U.S. Distribution:
Federal Premium® Ammunition

Availability: Unrestricted



BLANK

Prod #: 10700004

Type: Blank

Intended Purpose:
Training/Simulation

Case Qty: 500

U.S. Distribution: FN America

Availability: Unrestricted



DUMMY

Prod #: 10700005

Type: Training

Intended Purpose:
Inert Training Round

Case Qty: 50

U.S. Distribution: FN America

Availability: Unrestricted



SS190

Prod #: 10700000

Type: 31 gr. FMJ Duty Round

Intended Purpose:
Law Enforcement/Military

Case Qty: 500

U.S. Distribution: FN America

Availability: Govt. Restricted



L191

Prod #: 10700001

Type: 31 gr. FMJ Tracer

Intended Purpose:
Law Enforcement/Military

Case Qty: 500

U.S. Distribution: FN America

Availability: Govt. Restricted



SB193

Prod #: 10700003

Type: 62 gr. FMJ Subsonic

Intended Purpose:
Law Enforcement/Military

Case Qty: 500

U.S. Distribution: FN America

Availability: Govt. Restricted

ACCESSORIES

**FN 15®
CARBINE
UPPER
ASSEMBLY**



**FN 15®
RIFLE
UPPER
ASSEMBLY**



**FN 15®
DMR II
UPPER
ASSEMBLY**



**FN 15®
TACTICAL II
UPPER
ASSEMBLY**



**FN 15®
TACTICAL
CARBINE .300
BLK II
UPPER
ASSEMBLY**



**FN SCAR®
16S 10"
BARREL
ASSEMBLY**



**FN SCAR®
17S 20"
BARREL
ASSEMBLY**



**FN SOFT
CASES**



**FN M249S®
ACCESSORIES**



**FN 509®/FN SCAR®17
MAGAZINES**



**GEAR UP AT
fnestore.com**



AMMUNITION

PRODUCT NUMBER	PRODUCT	UPC	MSRP
10700005	FN Dummy Ammo 5.7x28 50-Round	818513002875	\$89.00
10700012	FN SS195LF 5.7x28 2000-Round Case	818513002936	\$1205.00

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100478	FN 509 LS EDGE™, 9mm Mag 17RD GRY	845737012267	\$77.00
20-100479	FN 509 LS EDGE™, 9mm Mag 10RD GRY	845737012274	\$77.00
20-100261 †	FN 503®, 9mm Magazine 8RD BLK	845737009090	\$39.00
20-100262 †	FN 503®, 9mm Magazine 6RD BLK	845737009106	\$39.00
20-100032-1	FN 509®, 9mm Mag 17RD BK	845737007768	\$49.00
20-100032-2	FN 509®, 9mm Mag 10RD BK	845737007775	\$49.00
20-100032-3	FN 509® 9mm Mag 24rnd	845737009793	\$60.00
20-100346-1	FN 509®, 9mm Mag 17RD FDE	845737010089	\$49.00
20-100346-2	FN 509®, 9mm Mag 10RD FDE	845737010096	\$49.00
20-100348	FN 509® M 9MM Mag 15RD BK	845737010126	\$49.00
20-100349	FN 509® M 9MM Mag 10RD BK	845737010386	\$49.00
20-100375 †	FN 509® C 9MM MAG 12RD BLK EXT FLOORPLATE	845737010331	\$49.00
20-100376 †	FN 509® C 9MM MAG 12RD FDE EXT FLOORPLATE	845737010348	\$49.00
20-100377 †	FN 509® C 9MM MAG 10RD BLK EXT FLOORPLATE	845737010355	\$49.00
20-100378 †	FN 509® C 9MM MAG 10RD FDE EXT FLOORPLATE	845737010362	\$49.00
20-100379 †	FN 509® C 9MM MAG 15RD BLK	845737010393	\$49.00
20-100380 †	FN 509® C 9MM MAG 15RD FDE	845737010409	\$49.00
20-100381 †	FN 509® C BACKSTRAP SET BLK	845737010416	\$49.00
20-100382 †	FN 509® C BACKSTRAP SET FDE	845737010423	\$49.00
20-100383 †	FN 509® C 9MM MAG SLEEVE 24RD BLK	845737010430	\$49.00
20-100065	Grip Extension Base Pad FDE	845737008529	\$6.99
20-100066	Magazine Sleeve FDE	845737008130	\$9.99

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100355	FN 509® M 9MM Mag 17RD BK Sleeve BK	845737010164	\$9.99
20-100356	FN 509® M 9MM Mag 24RD Sleeve BK	845737010171	\$9.99
20-100067	Magazine Base Pad Flat FDE	845737008147	\$6.99
20-100062	FNS™-9C Mag 12Rd FDE Flat	845737008413	\$49.00
20-100063	FNS™-9C Mag 10rd FDE Flat	845737008444	\$49.00
20-100064	FNS™-9 MAG 17rd FDE	845737008482	\$49.00
66330-2	FNS™-9 Magazine 17-Rnd Blk	845737001162	\$49.00
66330-4	FNS™-9 Magazine 10-Rnd Blk	845737001179	\$49.00
47695-2	FNS™-40 / FNX™-40 Magazine 14-Rnd Blk	845737000349	\$49.00
47695-4	FNS™-40 / FNX™-40 Magazine 10-Rnd Blk	845737002527	\$49.00
66478-20	FNS™-9C Magazine 12-Rnd Blk	845737006051	\$49.00
66478-21	FNS™-9C Magazine 10-Rnd Blk	845737006044	\$49.00
66478-22	FNS™-40C Magazine 10-Rnd Blk	845737006068	\$49.00
67198	FNS™ Magazine Sleeve	845737006075	\$9.99
67199	FNS™ Compact Grip Extension Base Pad	845737006082	\$6.99
47694-2	FNX™-9 Magazine 17-Rnd Blk	845737000356	\$49.00
47694-4	FNX™-9 Magazine 10-Rnd Blk	845737002510	\$49.00
66322-5	FNX™-45 Magazine 15-Rnd Blk	845737002541	\$50.00
66322-1	FNX™-45 Magazine 10-Rnd Blk	845737002558	\$50.00
66322-6	FNX™-45 Magazine 15-Rnd FDE	845737002534	\$50.00
66322-2	FNX™-45 Magazine 10-Rnd FDE	845737002565	\$50.00
3866100030	Five-seveN® Magazine 20-Rnd	818513003018	\$40.00
3866100320	Five-seveN® Magazine 10-Rnd	818513002523	\$40.00
47103	FNP™-9 Magazine 16-Rnd	818513000062	\$43.00
47104	FNP™-9 Magazine 10-Rnd	818513000055	\$43.00
47305	FNP™-40 Magazine 14-Rnd	818513003216	\$43.00
47306	FNP™-40 Magazine 10-Rnd	818513003353	\$43.00
47456-2	FNP™-45 Magazine 15-Rnd Blk	818513006675	\$50.00
47526-2	FNP™-45 Magazine 10-Rnd Blk	818513006651	\$50.00
47456-1	FNP™-45 Magazine 15-Rnd FDE	845737000431	\$50.00
47008	FNP™-9M Magazine 15-Rnd	818513003346	\$43.00
47009	FNP™-9M Magazine 10-Rnd	818513003339	\$43.00

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100399	FN 509® AIMPOINT® ACRO MRD Kit	845737010980	\$24.99
67170-5	FN 509® Night Sight Set	845737008390	\$139.00
20-100291-1	FN 509® Suppressor Height Sights, No Dot	845737009854	\$59.00
20-100291-3	FN 509® Suppressors Height Sights, Night Sights	845737009175	\$149.00
67170-1	FNS™/FNX™-9 Night Sight Set	845737004927	\$139.00
67170-2	FNS™/FNX™-40 Night Sight Set	845737004934	\$139.00
67170-3	FNX™-45 Std Night Sight Set	845737004941	\$139.00
67170-4	FNX™-45 Tact Night Sight Set	845737004958	\$159.00
67205-1	FNS™-9 Slide Assy Bk	845737005665	\$349.00
67205-2	FNS™-9 Slide Assy SS	845737005672	\$349.00
67205-3	FNS™-40 Slide Assy Bk	845737005689	\$349.00
67205-4	FNS™-40 Slide Assy SS	845737005696	\$349.00
67205-5	FNS™-9L Slide Assy Bk	845737005702	\$409.00
67205-6	FNS™-9L Slide Assy SS	845737005719	\$409.00
67205-7	FNS™-40L Slide Assy Bk	845737005726	\$409.00
67205-8	FNS™-40L Slide Assy SS	845737005740	\$409.00
67205-9	FNX™-9 Slide Assy Bk	845737005757	\$385.00
67205-10	FNX™-9 Slide Assy SS	845737005764	\$385.00
67205-11	FNX™-40 Slide Assy Bk	845737005771	\$385.00
67205-12	FNX™-40 Slide Assy SS	845737005801	\$385.00
67205-13	FNX™-45 Slide Assy Bk	845737005818	\$469.00
67205-14	FNX™-45 Slide Assy SS	845737005825	\$469.00
67205-15	FNX™-45T Slide Assy Bk	845737005832	\$729.00
67205-16	FNX™-45T Slide Assy FDE	845737005849	\$729.00
67206-1	FNS™/FNX™-9 Barrel Bk 4"	845737005894	\$129.00
67206-2	FNS™/FNX™-9 Barrel SS 4"	845737005900	\$129.00
67206-3	FNS™/FNX™-40 Barrel Bk 4"	845737005931	\$129.00
67206-4	FNS™/FNX™-40 Barrel SS 4"	845737005948	\$129.00
67206-5	FNS™-9L Barrel Bk 5"	845737005870	\$165.00
67206-6	FNS™-9L Barrel SS 5"	845737005887	\$165.00
67206-7	FNS™-40L Barrel Bk 5"	845737005917	\$165.00
67206-8	FNS™-40L Barrel SS 5"	845737005924	\$165.00

PISTOL ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
67206-9	FNX™-45 Std Barrel Bk	845737005955	\$179.00
67206-11	FNX™-45T Barrel Bk w/ TP	845737005856	\$235.00
67207-1	FNX™-45T Thread Protector	845737005863	\$19.00
20-100290	FN 509® Thread Protector	845737009212	\$19.00
66263	Tactical Pistol Case - Black	845737005283	\$59.00
66146	Tactical Pistol Case - FDE	845737005276	\$59.00
20-100035-2	Soft Case, Tan	845737008024	\$19.99
20-100035-1	Soft Case, Blk	845737008017	\$19.99
20-100035-3	Soft Case, Gry	845737008031	\$19.99
3819999997	Otis Cleaning Kit 5.7x28MM	818513003230	\$99.00
20-100055	Small Backstrap, FN 509®, Black	845737008437	\$13.99
20-100056	Medium Backstrap, FN 509®, Black	845737008543	\$13.99
20-100057	Large Backstrap, FN 509®, Black	845737008574	\$13.99
20-100058	FN 509® Backstrap Set, Black	845737008383	\$29.99
20-100381 †	FN 509® C BACKSTRAP SET BLK	845737010416	\$29.99
20-100382 †	FN 509® C BACKSTRAP SET FDE	845737010423	\$29.99

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
3703013381	Ballista® Magazine 338 8-rnd	845737003104	\$155.00
3703013382	Ballista® Magazine 338 5-rnd	845737003098	\$155.00
3703013081	Ballista® Magazine 308 15-rnd	845737003142	\$155.00
3703013082	Ballista® Magazine 308 8-rnd	845737003135	\$155.00
3703013001	Ballista® Magazine 300 10-rnd	845737003128	\$155.00
3703013002	Ballista® Magazine 300 6-rnd	845737003111	\$155.00
3703033102	Ballista® Accessory Rail 2-in w/ QD Sling Swivel Stud	845737003203	\$233.00
3703033002	Ballista® Accessory Rail 2-in	845737003159	\$155.00
3703033004	Ballista® Accessory Rail 4-in	845737003166	\$219.00
3703033006	Ballista® Accessory Rail 6-in	845737003173	\$265.00

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
3703033008	Ballista® Accessory Rail 8"	845737003180	\$280.00
3703033010	Ballista® Accessory Rail 10"	845737003197	\$296.00
3703032001	Ballista® Quick Detach Forearm	845737004675	\$539.00
3703036001	Ballista® QD Mount Blk 30mm	845737003524	\$499.00
3703036002	Ballista® QD Mount FDE 30mm	845737003531	\$499.00
3703036003	Ballista® QD Mount Blk 34mm	845737003548	\$549.00
3703036004	Ballista® QD Mount FDE 34mm	845737003555	\$549.00
3703023000	Ballista® Caliber Conversion Kit 300 WM 26" 10 Twist Polygonal	845737005214	\$2,779.00
3703023080	Ballista® Caliber Conversion Kit 308 Win 24" 11 Twist Polygonal	845737005207	\$2,779.00
3703031001	Ballista® Buttstock Grip Extension	845737003081	\$309.00
3703031002	Ballista® Quick Detach Monopod	845737004002	\$699.00
3703036000	Ballista® Operator's Tool Kit	845737005641	\$299.00
62614-01	SPR / TSR Detachable Box Magazine (DBM) 308 4-Rnd	818513002622	\$52.00
62635-01	SPR Tactical Box Magazine (TBM) 308 5-Rnd (TBM Equipped Only)	845737000417	\$54.00
62635-02	SPR Tactical Box Magazine (TBM) 308 10-Rnd (TBM Equipped Only)	845737000424	\$60.00
3108929210	FNAR 308 Magazine 20-Rnd	818513006125	\$66.00
3108929200	FNAR 308 Magazine 10-Rnd	818513006132	\$66.00
3108929300	FNAR 308 Magazine 5-Rnd	818513009454	\$66.00
3810110093 ‡	PS90®/P90® Magazine 50-Rnd	818513001656	\$49.00
3816101050 ‡	PS90®/P90® Magazine 30-Rnd	818513003582	\$49.00
3816101040 ‡	PS90®/P90® Magazine 10-Rnd	818513003667	\$49.00
98882	SCAR® 16S / FS2000 30-Rnd Magazine Blk	845737000554	\$32.00
98880	SCAR® 16S 30-Rnd Magazine FDE	818513009560	\$32.00
98890 ‡	SCAR® 17S 20-Rnd Magazine FDE	845737000028	\$59.00
98892 ‡	SCAR® 17S 20-Rnd Magazine Blk	845737000035	\$59.00
98889 ‡	SCAR® 17S 10-Rnd Magazine FDE	845737003777	\$59.00
98891 ‡	SCAR® 17S 10-Rnd Magazine Blk	845737002930	\$59.00
3486010020	SCAR® 16S 10-Rnd 5.56x45mm Magazine Blk Steel	818513004992	\$41.00
3058490010	PS90®/P90® Sight Adjustment Tool	818513002141	\$52.00
50002	FN Universal Tactical Sling 3pt Blk w/out Reducer	818513001748	\$88.00

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
98824	FN Tactical Sling FDE	818513008938	\$26.00
98802	SCAR® 16S 10" Barrel Assembly	845737001087	\$1,299.00
98804	SCAR® 16S 14" Barrel Assembly	845737001094	\$1,299.00
98808	SCAR® 16S 18" Barrel Assembly	845737001117	\$1,499.00
98814	SCAR® 17S 13" Barrel Assembly	845737002657	\$1,499.00
98818	SCAR® 17S 20" Barrel Assembly	845737002671	\$1,499.00
36420	AR-15 HF Barrel 14.5" Carbine	845737005115	\$349.00
36421	AR-15 HF Barrel 16" Carbine	845737005122	\$349.00
36422	AR-15 HF Barrel 16" Mid-length	845737005139	\$349.00
36423	AR-15 HF Barrel 18" Rifle	845737005146	\$379.00
36424	AR-15 HF Barrel 20" Rifle	845737005153	\$379.00
20-100037	AR15 Barrel 10.5" BB M16 5.56 Carbine	845737008406	\$259.00
20-100038	AR15 Barrel 14.7" BB M16 5.56 Mid-length	845737008451	\$259.00
20-100039	AR15 Barrel, 16" BB M16 5.56 Carbine	845737008505	\$259.00
20-100041	AR15 Barrel, 16" BB M16 5.56 Mid-length	845737008475	\$259.00
20-100042	AR15 Barrel, 18" BB M16 5.56 RIFLE	845737008468	\$259.00
20-100043	AR15 Barrel, 20" BB M16 5.56 RIFLE	845737008550	\$259.00
20-100044	AR15 Barrel, 14.7" BB M4 5.56 Carbine	845737008567	\$259.00
20-100045	AR15 Barrel, 14.7" HF M4 5.56 Carbine	845737008499	\$349.00
20-100046	AR15 Barrel, 16" BB M4 5.56 Carbine	845737008420	\$259.00
20-100047	AR15 Barrel, 16" HF M4 5.56 Carbine	845737008376	\$349.00
36426	FN 15 16" Carbine Upper (HF Barrel)	845737005979	\$799.00
36427	FN 15 20" Rifle Upper (HF Barrel)	845737005986	\$799.00
20-100111	Discreet 36" Case, Black 36x13x4"	845737008338	\$109.00
20-100113	Discreet 36" Case, FDE 36x13x4"	845737008352	\$109.00
20-100115	Discreet 28" Case, Black 28x13x"	845737008345	\$99.00
20-100117	Discreet 28" Case, FDE 28x13x4"	845737008581	\$99.00
20-100119	Discreet 20" Case, Black 20x13x4"	845737008734	\$89.00
20-100121	Discreet 20" Case, FDE 20x13x4"	845737008598	\$89.00
20-100089	Adj. Strap 19", Black Hook & Loop	845737008604	\$6.99

RIFLE ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
20-100087	Adj. Strap 15", Black Hook & Loop	845737008611	\$6.99
20-100085	Adj. Strap 11", Black Hook & Loop	845737008628	\$6.99
20-100105	Muzzle Pouch, Black Hook & Loop	845737008635	\$6.99
20-100101	AR Mag. Pouch, Black Hook & Loop	845737008642	\$6.99
20-100099	SCAR® 17 Mag Pouch, Black Hook & Loop	845737008666	\$6.99
20-100103	PS90® Mag. Pouch, Black Hook & Loop	845737008673	\$9.99
20-100095	Suppressor Pouch, 7" Black Hook & Loop	845737008680	\$6.99
20-100097	Accessory Pouch, Black Hook & Loop	845737008697	\$6.99
20-100093	Molle Panel, 6x5", Black Hook & Loop	845737008703	\$6.99
20-100107	Pistol Mag. Pouch, Black Hook & Loop	845737008710	\$6.99
20-100091	Document Holder Hook & Loop	845737008727	\$6.99
3488890000	FS2000® Tool Kit	818513004619	\$139.00
3819999997	Otis Cleaning Kit 5.7x28MM	818513003230	\$99.00
3849999998	PS90®/P90® Side Accessory Rail	845737001353	\$60.00
3819400120	PS90®/P90® M1913 USG Accessory Rail	818513002202	\$144.00
3819820010	PS90®/P90® Fired Case Collector	818513001618	\$57.00
3819999999	PS90®/P90® Magazine Pouch	818513002493	\$239.00
62655-01	TBM Conversion Kit for SPR	845737001421	\$449.00

SHOTGUN ACCESSORIES

PRODUCT NUMBER	PRODUCT	UPC	MSRP
50001	FN EZ Shotgun Sling 2pt Blk w/out Reducer	818513001731	\$57.00
3088929500	SLP™ MK1 Barrel Assembly 22" Inv Improved	818513002592	\$415.00
3088929510	SLP™ MK1 Barrel Assembly 22" Rifled	818513005692	\$444.00
3088929530	SLP™ Barrel Assembly 24" Inv Plus Modified	818513005463	\$415.00
3088929540	SLP™ Barrel Assembly 26" Inv Plus Modified	818513005470	\$415.00
3088929550	SLP™ Barrel Assembly 28" Inv Plus Modified	818513005487	\$415.00
3088929560	SLP™ Barrel Assembly 30" Inv Plus Modified	818513005494	\$415.00
3088929711	SLP™ Inv Ext Ck.Tube Cylinder (CYL .000")	818513006224	\$39.00
3088929712	SLP™ Inv Ext Ck.Tube Skeet (CYL .005")	818513006231	\$39.00
3088929713	SLP™ Inv Ext Ck.Tube Improved (CYL .010")	818513006248	\$39.00
3088929714	SLP™ Inv Ext Ck.Tube Light Modified (CYL .015")	818513006255	\$39.00
3088929715	SLP™ Inv Ext Ck.Tube Modified (CYL .020")	818513006262	\$39.00
3088929716	SLP™ Inv Ext Ck.Tube Improved Modified (CYL .025")	818513006279	\$39.00
3088929717	SLP™ Inv Ext Ck.Tube Light Full (CYL .030")	818513006286	\$39.00
3088929718	SLP™ Inv Ext Ck.Tube Full (CYL .035")	818513006293	\$39.00
3088929719	SLP™ Inv Ext Ck.Tube Extra Full (CYL .040")	818513006309	\$39.00
3088929720	SLP™ Inv Plus Ext Ck.Tube Cylinder (CYL .000")	818513006316	\$39.00
3088929721	SLP™ Inv Plus Ext Ck.Tube Skeet (CYL .005")	818513006323	\$39.00
3088929722	SLP™ Inv Plus Ext Ck.Tube Improved (CYL .010")	818513006330	\$39.00
3088929723	SLP™ Inv Plus Ext Ck.Tube Light Modified (CYL .015")	818513006347	\$39.00
3088929724	SLP™ Inv Plus Ext Ck.Tube Modified (CYL .020")	818513006354	\$39.00
3088929725	SLP™ Inv Plus Ext Ck.Tube Improved Modified (CYL .025")	818513006361	\$39.00
3088929726	SLP™ Inv Plus Ext Ck.Tube Light Full (CYL .030")	818513006378	\$39.00
3088929727	SLP™ Inv Plus Ext Ck.Tube Full (CYL .035")	818513006385	\$39.00
3088929728	SLP™ Inv Plus Ext Ck.Tube Extra Full (CYL .040")	818513006392	\$39.00

LESS LETHAL (LE AND MIL SALES ONLY)

PRODUCT NUMBER	PRODUCT	UPC	MSRP
48048552	FN 303® Projectiles, Yellow	818513005135	POR
48048554	FN 303® Projectiles, Clear	818513005128	POR
48048555	FN 303® Projectiles, Pink	818513009799	POR
48048600	FN 303® Projectiles, Pava Powder	818513005272	POR
48048610	FN 303® Projectiles, Inert Powder	818513005265	POR
48194	FN 303® Barrel Adapter M16	818513002974	POR
48195	FN 303® Barrel Adapter M4	818513003001	POR
48214	FN 303® 10-Pack O-Rings with Lub	818513002073	POR
48726	FN 303® 10-Pack O-Rings	845737003913	POR
48931	FN 303® Training O-Ring Kit	845737003036	POR
48224	FN 303® O-Ring Overhaul Kit	845737000950	POR
48071	FN 303® Projectile Speed Loader	818513001786	POR
48188	FN 303® Magazine Assembly	818513001779	POR
48600	FN 303® Electric Air Compressor	818513002530	POR
48153	FN 303® Fill Station Adapter	818513001793	POR
48215	FN 303® Standard Fill Tank	818513002059	POR
48216	FN 303® Deluxe Fill Tank	818513002066	POR
48711	FN 303® Armorer Tool Kit	845737000271	POR
48198	FN 303® 2pt Sling with Reducer	818513001823	POR
48199	FN 303® 3pt Tactical Sling with Reduce	818513001847	POR
48211	FN 303® Equipment Vest	818513001809	POR
48014	FN 303® Interconnect Hose	818513003513	POR
48043	FN 303® Air Bottle Reservoir	818513002028	POR
48074	FN 303® Nylon Brush, 20mm	845737003067	POR
48173	FN 303® Oil Bottle	818513002776	POR



PISTOLS

PISTOL MODELS	CALIBER	CAPACITY (Rd.)	ACTION	TRIGGER PULL (Lb.)	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	BARREL LENGTH (In.)	SIGHT RADIUS (In.)	TWIST RATE (In.)	WEIGHT (Oz.)	SIGHTS	FRAME COLOR	SLIDE FINISH
FN 509 LS EDGE™	9mm	10/17	DA	4-5	8.2	5.9	1.35	5	6.7	1:10 RH	31	Green fiber optic front sight post, rear blackout notch	Black	Graphite PVD
FN 509®	9mm	10/17	DA	5.5-7.5	7.4	5.56	1.35	4.0	5.79	1:10 RH	26.9 with mag.	Fixed 3-dot luminescent/3-dot night	Black	Matte black
FN 509® TACTICAL	9mm	10/17/24	DA	5.5-7.5	7.9	5.56	1.35	4.5	5.79	1:10 RH	27.9	Fixed 3-dot night	Black/Flat Dark Earth	Matte black/Flat Dark Earth
FN 509® MIDSIZE	9mm	10/15	DA	5.5-7.5	7.4	5.16	1.35	4.0	5.79	1:10 RH	26.5	Fixed 3-dot luminescent/3-dot night	Black	Matte black
FN 509® MIDSIZE MRD	9mm	10 or 15	DA	5.5-7.5	7.4	5.2	1.35	4.0	5.79	1:10 RH	26.5	All-black co-witness iron sites	Black	Matte black
FN 509® COMPACT MRD	9mm	10 or 12/15	DA	5.5-7.5	6.8	5.2/4.8	1.35	3.7	5.6	1:10 RH	25.5	All-black co-witness iron sites	Black/Flat Dark Earth	Black/Flat Dark Earth
FNX™-45	.45 ACP	10/15	DA/SA	8.8-12.1/3.96-5.06	7.9	6.3	1.58	4.5	6.4	1:16 RH	33.2 with mag.	Fixed 3-dot/Fixed 3-dot night	Black/Flat Dark Earth	Matte black
FNX™-45 TACTICAL	.45 ACP	10/15	DA/SA	8.8-12.1/3.96-5.06	8.6	6.5	1.58	5.3	6.4	1:16 RH	33.3 with mag.	Fixed 3-dot night	Black/Flat Dark Earth	Matte black/Flat Dark Earth
FNX™-45 TACTICAL FDE NT	.45 ACP	10	DA/SA	8.8-12.1/3.96-5.06	7.9	6.5	1.58	4.5	6.4	1:16 RH	33.2 with mag.	Fixed 3-dot night	Flat Dark Earth	Flat Dark Earth
FN Five-seveN®	5.7x28mm	10/20	SA	4.4-7.87	8.2	5.7	1.4	4.8	7.0	1:9 RH	23 with mag.	Adjustable 3-dot	Black/Flat Dark Earth	Matte black

BOLT-ACTION RIFLE MODEL	CALIBER	CAPACITY & TYPE	ACTION LENGTH	ACTION	TRIGGER PULL (Lb.)	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	BARREL LENGTH (In.)	SIGHT RADIUS (In.)	TWIST RATE (In.)	WEIGHT (Lb.)	LENGTH OF PULL (In.)	STOCK TYPE	STOCK COLOR
FN BALLISTA®	.338 Lapua Mag.®	5/8 DBM	Long magnum	Bolt-action	3.0-5.0	49.5-50.75	7.8	3.80	26	N/A	1:9 RH	15.1	14.0-15.25	Modular chassis adjustable	Flat Dark Earth

SEMI-AUTO RIFLE/CARBINE MODELS	CALIBER	CAPACITY (Rd.)	TYPE	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHT RADIUS (In.)	SIGHTS	COLOR	STOCK TYPE
FN 15® M4 MILITARY COLLECTOR	5.56x45mm	30	GI	30.75-34	10.25	2.5	6.64 with empty mag.	16	1:7 RH	4.75-7.75	14.5	A2-style front (F height), adjustable backup iron rear	Black	Adjustable
FN 15® M16 MILITARY COLLECTOR	5.56x45mm	30	GI	39.7	10.25	2.7	8.29 with empty mag.	20	1:7 RH	4.75-7.75	20	A2-style front (F height), backup iron rear	Black	Fixed
FN SCAR® 16S	5.56x45mm	10/30	Short-stroke gas piston	27.5-37.5	8	2.75	7.25	16.25	1:7 RH	4.75-7.75	15.75	Folding adjustable iron	Flat Dark Earth/Matte black	Adjustable, folding
FN SCAR® 17S	7.62x51mm	10/20	Short-stroke gas piston	28.5-38.5	8	2.75	8	16.25	1:12 RH	4.75-7.75	15.75	Folding adjustable iron	Flat Dark Earth/Matte black	Adjustable, folding
FN SCAR® 20S	7.62x51mm	10	Short-stroke gas piston	40.6-42.5	8	2.75	11.2	20	1:12 RH	3.5-4.5	N/A	N/A	Flat Dark Earth	Adjustable
FN SCAR® 20S 6.5 CREEDMOOR	6.5 Creedmoor	10	Short-stroke gas piston	41-42.8	8.03	2.73	11.6	20	1:8 RH	3.5-4.5	N/A	N/A	Flat Dark Earth	Adjustable
FN PS90® (STANDARD)	5.7x28mm	10/30/50	Closed-bolt blowback	26.23	8.30	2.30	6.61	16.1	1:9 RH	4.5-7.87	N/A	Backup iron	Matte black	Bullpup
FN 15® DMR II	5.56x45mm	30	Magpul	35-38	10.5	2.55	7.1 with empty mag.	18	1:7 RH	3.25-4.0	N/A	N/A	Black	Adjustable
FN 15® TACTICAL II	5.56x45mm	30	Magpul	33.7-37	10.5	2.55	6.7 with empty mag.	16	1:7 RH	4.75-7.75	N/A	N/A	Black	Adjustable
FN 15® TACTICAL .300 BLK II	.300 BLK (7.62x35mm)	30	Magpul	34-37.25	10.5	2.55	6.91 with empty mag.	16	1:8 RH	4.75-7.75	N/A	N/A	Black	Adjustable
FN 15® TACTICAL CARBINE FDE P-LOK	5.56x45mm	30	GI	34-37.25	10.5	2.55	7.2 with empty mag.	16	1:7 RH	4.75-7.75	N/A	N/A	Flat Dark Earth	Adjustable
FN 15® TACTICAL II CA	5.56x45mm	10	GI	36.75	10.5	2.55	7.1 with empty mag.	16	1:7 RH	4.75-7.75	N/A	N/A	Black	Fixed

RIFLES

SEMI-AUTO RIFLE/CARBINE MODELS	CALIBER	CAPACITY (Rd.)	TYPE	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHT RADIUS (In.)	SIGHTS	COLOR	STOCK TYPE
FN 15 [®] DMR II CA	5.56x45mm	10	GI	38.75	10.5	2.55	7 with empty mag.	18	1:7 RH	4.75-7.75	N/A	N/A	Black	Fixed
FN 15 [®] MD HEAVY BARREL RIFLE BLK 20	5.56x45mm	10	GI	38	10.5	2.55	8.7 with empty mag.	20	1:7 RH	4.75-7.75	N/A	Magpul [®] BUIS	Black	Fixed
FN 15 [®] PATROL CARBINE	5.56x45mm	30	GI	31.9–35.2	10.25	2.75	6.6 with empty mag.	16	1:7 RH	4.75–7.75	14.5	A2-style front sight. Samson flip-up rear site.	Black	Collapsible, 6-position with sling mount
FN 15 [®] CARBINE	5.56x45mm	10 or 30	GI	31.9–35.2	10.25	2.75	6.94 with empty mag	16 (Heavy Barrel)	1:7 RH	4.75–7.75	14.5	Removable carrying handle with rear sight, A2-style front sight	Black	Collapsible, 6-position with sling mount. Two-piece, single heat shield, oval hand guard.

SHOTGUNS

SHOTGUN MODELS	GAUGE	ACTION	CHAMBER LENGTH (In.)	CAPACITY (Rd.)	BARREL LENGTH (In.)	CHOKE SYSTEM	TRIGGER PULL (Lb.)	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	LENGTH OF PULL (In.)	SIGHT RADIUS (In.)	SIGHTS	STOCK
FN SLP [™] (STANDARD)	12	Semi-automatic	2¾" 3"	6+1 5+1	18	Standard Invector [™]	6.2-7.3	39	7.9	2.4	7.7	14	17.6-21.5	High-profile/adj. rear, wing-protected front	Matte black synthetic/pistol grip
FN SLP [™] MK I	12	Semi-automatic	2¾" 3"	8+1 7+1	22	Standard Invector [™]	6.2-7.3	43	7.9	2.4	8.4	14	18	Low-profile/adj. rear, fiber-optic front	Matte black synthetic/pistol grip
FN SLP [™] COMPETITION	12	Semi-automatic	2¾" 3"	8+1 7+1	24	Invector-Plus [™]	6.2-7.3	45	7.9	2.4	8.3	14	20	Flip-up rifle rear, fiber-optic front	Matte black synthetic/pistol grip
FN P-12 [™]	12	Pump-action	2¾" 3"	5+1 4+1	18	Standard Invector [™]	6.2-7.3	39	7.9	2.4	7.7	14	14	Flip-up rifle rear, fiber-optic front	Matte black synthetic/pistol grip

FN® MK 16, FN® MK 17, FN® MK 20 SSR MODELS	CALIBER	CAPACITY	OPERATION	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	BARREL LENGTH (In.)	WEIGHT (Lb.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	COLOR	SIGHTS
FN® MK 16 LB (LONG BARREL)	5.56x45mm	30	Gas-operated short-stroke piston	36.5-39.0	8	2.75	18	7.7	1:7 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 16 (STANDARD)	5.56x45mm	30	Gas-operated short-stroke piston	32.5-35.0	8	2.75	14	7.2	1:7 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 16 CQC (CLOSE QUARTERS COMBAT)	5.56x45mm	30	Gas-operated short-stroke piston	28.5-31.0	8	2.75	10	6.7	1:7 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 17 LB (LONG BARREL)	7.62x51mm	20	Gas-operated short-stroke piston	39.5-42.0	8	2.75	20	8.3	1:12 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 17 (STANDARD)	7.62x51mm	20	Gas-operated short-stroke piston	35.5-38.0	8	2.75	16	7.9	1:12 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 17 CQC (CLOSE QUARTERS COMBAT)	7.62x51mm	20	Gas-operated short-stroke piston	32.5-35.0	8	2.75	13	7.7	1:12 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron
FN® MK 20 SSR	7.62x51mm	20	Gas-operated short-stroke piston	40.5-42.5	8	2.75	20	10.8	1:12 RH	4.75-7.75	Flat Dark Earth	Folding adjustable iron

MILITARY FIREARMS

GRENADE LAUNCHER

FN® MK 16, FN® MK 17, FN® MK 20 MODELS	CALIBER	CAPACITY	OPERATION	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	BARREL LENGTH (In.)	WEIGHT (Lb.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	COLOR	SIGHTS
FN® MK 13 EGLM	40x46mm LVG	1	Manual	20.25-26.5	N/A	N/A	9.6	5.92	N/A	N/A	Flat Dark Earth	Folding iron leaf

MILITARY FIREARMS

MACHINE GUNS

MACHINE GUN MODELS	CALIBER	CAPACITY	OPERATION	WEIGHT (Lb.)	BARREL LENGTH (In.)	COLOR	SIGHTS
FN® M249 SAW (SQUAD AUTOMATIC WEAPON)	5.56x45mm	Belt-fed	Open-bolt, gas-operated	17	20.5	Matte black	Adjustable iron
FN® M249 PARA	5.56x45mm	Belt-fed	Open-bolt, gas-operated	15.95	16.3	Matte black	Adjustable iron
FN® MK 46 MOD 1	5.56x45mm	Belt-fed	Open-bolt, gas-operated	15.44	16.3	Matte black	Adjustable iron
FN® MK 46 MOD 2	5.56x45mm	Belt-fed	Open-bolt, gas-operated	16.9	16.3	Matte black	Adjustable iron
FN® MK 48 MOD 1	7.62x51mm	Belt-fed	Open-bolt, gas-operated	18.26	19.75	Matte black	Adjustable iron
FN® MK 48 MOD 2	7.62x51mm	Belt-fed	Open-bolt, gas-operated	19.8	19.75	Matte black	Adjustable iron
FN® M240B	7.62x51mm	Belt-fed	Open-bolt, gas-operated	27	21.7	Black	Adjustable iron
FN® M240L	7.62x51mm	Belt-fed	Open-bolt, gas-operated	22.3	21.7	Black	Adjustable iron
FN® M240 / M240C	7.62x51mm	Belt-fed	Open-bolt, gas-operated	22.2	21.7	Black	Adjustable iron
FN® M240D	7.62x51mm	Belt-fed	Open-bolt, gas-operated	22.9	21.7	Black	Adjustable iron
FN® M240H	7.62x51mm	Belt-fed	Open-bolt, gas-operated	25.8	21.7	Black	Adjustable iron
FN® M2HB-QCB	.50 BMG (12.7x99mm)	Belt-fed	Closed-bolt, gas recoil-operated	84	45	Black	Adjustable iron
FN® M3M (GAU-21)	.50 BMG (12.7x99mm)	Belt-fed	Open-bolt, gas-operated	81.6	36	Black	None

RIFLES AND CARBINE MODELS	CALIBER	CAPACITY (Rd.)	OPERATION	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHTS	STOCK COLOR
FN P90® STD. SELECTIVE FIRE	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	5.8	10.39	1:9 RH	4.5-7.87	Peep sight, non-magnifying optical	Matte black
FN P90® STD. SEMI-AUTO	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	5.8	10.39	1:9 RH	4.5-7.87	Peep sight, non-magnifying optical	Matte black
FN P90® TR SELECTIVE FIRE	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	5.95	10.39	1:9 RH	4.5-7.87	Peep sight	Matte black
FN P90® USG	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	5.93	10.39	1:9 RH	4.5-7.87	Peep sight, non-magnifying optical	Matte black
FN P90® LV	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	6.1	10.39	1:9 RH	4.5-7.87	Peep sight, non-magnifying optical, front-mounted visible laser	Matte black
FN P90® TR LV	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	6	10.39	1:9 RH	4.5-7.87	Peep sight, front-mounted visible laser	Matte black
FN P90® USG IR	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	6.24	10.39	1:9 RH	4.5-7.87	Peep sight, non-magnifying optical, front-mounted infrared laser	Matte black
FN P90® TACTICAL	5.7x28mm	30/50	Closed-bolt blowback	19.88	8.3	2.3	5.8	10.39	1:9 RH	4.5-7.87	Peep sight	Matte black
FN SCAR® 16 (STANDARD)	5.56x45mm	30	Gas-operated short-stroke piston	32.5-35.0	8	2.75	7.2	14.0	1:7 RH	4.75-7.75	Folding adjustable iron	Black/Flat Dark Earth
FN SCAR® 16 CQC (CLOSE QUARTERS COMBAT)	5.56x45mm	30	Gas-operated short-stroke piston	28.5-31.0	8	2.75	6.7	10.0	1:7 RH	4.75-7.75	Folding adjustable iron	Black/Flat Dark Earth
FN SCAR® 17 (STANDARD)	7.62x51mm	20	Gas-operated short-stroke piston	35.5-38.0	8	2.75	7.9	16.0	1:12 RH	4.75-7.75	Folding adjustable iron	Black/Flat Dark Earth
FN SCAR® 17 CQC (CLOSE QUARTERS COMBAT)	7.62x51mm	20	Gas-operated short-stroke piston	32.5-35.0	8	2.75	7.7	13.0	1:12 RH	4.75-7.75	Folding adjustable iron	Black/Flat Dark Earth
FN SCAR®-SC	5.56x45mm	30	Short-stroke gas piston operated, rotating bolt	21.10-25.71	8	2.75	6.94	7.5	1:7 RH	5.5-9.5	Folding adjustable iron	Black

LAW ENFORCEMENT FIREARMS

RIFLES AND CARBINE MODELS	CALIBER	CAPACITY (Rd.)	TYPE	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHT RADIUS (In.)	SIGHTS	STOCK COLOR	STOCK TYPE
FN 15° PATROL CARBINE SBR 10.5"	5.56x45mm	30	GI	26.5-30	10.25	2.75	5.92 with empty mag.	10.5	1:7 RH	4.75-7.75	14.625	A2-style front (F height), Samson flip-up rear	Black	Adjustable
FN 15° PATROL CARBINE SBR 14.5"	5.56x45mm	30	GI	30.75-34	10.25	2.75	6.025 with empty mag.	14.5	1:7 RH	4.75-7.75	N/A	N/A	Black	Adjustable
FN 15° PATROL CARBINE	5.56x45mm	30	GI	31.9-35.2	10.25	2.75	6.0 with empty mag.	16	1:7 RH	4.75-7.75	14.5	A2-style fixed front, folding adjustable rear	Black	Adjustable

LESS LETHAL

LESS LETHAL MODEL	CALIBER	CAPACITY (Rd.)	LOWER FRAME	UPPER FRAME	SIGHTS
FN 303° LAUNCHER	.68	15	Black polymer	Black aluminum	Flip-up iron

TRAINING PISTOL/SIMUNITION PISTOL

PISTOL MODELS	CALIBER	CAPACITY (Rd.)	ACTION	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHT RADIUS (In.)	SIGHTS	STOCK COLOR	FINISH
FN 509° TRAINING PISTOL	9mm	17	DA, with re-strike	7.4	5.56	1.35	26.9	4.0	N/A	5.5-7.5	5.79	Fixed 3-Dot Luminescent Frame	Red Slide	Matte Black
FN 509° SIMUNITION PISTOL	9mm	17	DA	7.4	5.56	1.35	26.9	4.1	1:10 RH	5.5-7.5	5.79	Fixed 3-Dot Luminescent Frame	Blue Slide	Matte Blue

GRENADE LAUNCHER

TACTICAL MODELS	CALIBER	CAPACITY (Rd.)	OPERATION	LENGTH (In.)	HEIGHT (In.)	WIDTH (In.)	WEIGHT (Lb.)	BARREL LENGTH (In.)	TWIST RATE (In.)	TRIGGER PULL (Lb.)	SIGHTS	STOCK COLOR
FN40GL®-S (STAND-ALONE)	40x46mm LVG	1	N/A	20.5-26.5	N/A	N/A	5.92	9.6	N/A	N/A	Folding iron leaf	Black/Flat Dark Earth
FN40GL®-L (LAUNCHER)	40x46mm LVG	1	N/A	20.5-26.5	N/A	N/A	2.96	9.6	N/A	N/A	Folding iron leaf	Black/Flat Dark Earth
FN40GL®-H (LAUNCHER)	40x46mm LVG	1	N/A	20.5-26.5	N/A	N/A	3.0	9.6	N/A	N/A	Folding iron leaf	Black/Flat Dark Earth
FN40GL®-L/TM (TRIGGER MODULE)	40x46mm LVG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Folding iron leaf	Black/Flat Dark Earth
FN40GL®-H/TM (TRIGGER MODULE)	40x46mm LVG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Folding iron leaf	Black/Flat Dark Earth
FN40GL®-S/LS (LEAF SIGHT)	40x46mm LVG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Black
FN40GL®-S (STOCK)	40x46mm LVG	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Black/Flat Dark Earth

FN CUSTOMER CONTACT

The 2020 FN product line has much to offer our customers. If you have any questions about the products within this catalog, purchasing information, or company programs, contact us at:

1.800.635.1321 • INFO@FNAMERICA.COM • [FNAMERICA.COM/CONTACT-US](https://fnamerica.com/contact-us)





PO BOX 9424, McLEAN, VA 22102
UNITED STATES OF AMERICA
703.288.3500 / FNAMERICA.COM

FN products are manufactured in the U.S. by FN America, LLC, in Columbia, SC, and in Belgium by FN Herstal, S.A. FN America is passionately committed to providing dependable, innovative firearms of the highest quality to our customers who rely upon us to enhance their performance and safeguard their lives. This catalog represents FN's product offerings for U.S. military, law enforcement, and consumer markets only.

Every reasonable effort has been made to ensure that all product photographs, descriptions, and specifications in this catalog are accurate. However, inadvertent errors may occur, and changes in design or materials, due to our continual effort to improve products, may result in some changes in specifications before subsequent publications are issued. FN reserves the right to modify or change specifications without notice. Some FN products shown in action photos in this catalog may be equipped with user-supplied, optional accessories. If you have any questions regarding FN products, please visit FNAMERICA.COM or contact us directly. Copyright © 2020 FN America, LLC. All rights reserved.

No part of this catalog, including documents, information, photographs, specifications, technical diagrams, or other material may be reproduced, adapted, translated, entered into a database, or released to the public, whether in whole or in part, without the prior written permission of FN Herstal, S.A. and/or FN America, LLC. All trademarks, service marks, logos, brand names, and copyrights used in this catalog are owned by FN Herstal, S.A. and/or FN America, LLC – except where otherwise specified – and may not be used, copied, reproduced, republished, uploaded, sent, transmitted, sold, or altered in any way without the prior written permission of FN Herstal, S.A.; FN America, LLC; and/or any third-party trademark or copyright owner, as the case may be. Some of the models displayed in this catalog may not be available worldwide, depending on the range of products available in the country of origin and/or destination. In this regard, FN Herstal, S.A. and/or FN America, LLC may not be held responsible for any reason whatsoever.





FNAMERICA.COM